


*The National Center on Accessibility does not promote or endorse any products. For your convenience we have compiled this information to be used as a resource. Products listed may or may not meet accessibility standards or recommendations. It is important to check design specifications of products. This list is not comprehensive. For more detailed information please contact the NCA at (812) 856-4422 Voice, (812) 856-4421 TTY or nca@indiana.edu. www.ncaonline.org

Surfaces

Brik-Trak



- This product is most commonly used for baseball warning tracks. It is crushed brick and is often referred to as "brick dust".
- Manufacturer's suggested application is 1 ½" compacted product then apply another 1 ½" of product and compact.
- Cost \$48.00 a ton; pick up only.
- Delivery not available.
- General Shale Products
PO Box 3547
Johnson City, TN 37602
Toll Free: (800) 414-4661
www.generalshale.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.



Brown Crushed Limestone

- Same bonding properties as standard white limestone but offers a more natural look.
- Cost \$5.50 a ton.
- St. Paul Stone Corporation
519 South County Line Road
St. Paul, IN 47472-9431
Phone: (765) 525-6312
No web address available
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

Plastic Lumber

Bedford Plastic Timbers



- Bedford Plastic Timbers are made of recycled plastic that are finished, non-toxic and have been laboratory tested for consistency and have been proven to be a superior alternative to treated wood, concrete, and steel. Lumber comes in a variety of sizes and colors. Requires no painting or staining, resists oils and chemicals, splinter-free, ultraviolet protected, environmentally safe, will not decompose, and saws and drills like wood.
 - Approximate price per board \$10.00-\$29.00 depending on desired size and color.
 - Bedford Technology, LLC
2424 Armour Road
PO Box 609
Worthington, MN 56187-0565
Phone: (507) 372-5558
Fax: (507) 372-5726
www.bedfordtech.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Dimensional Lumber



- Dimensional lumber is 100% recycled plastic that provides an alternative to traditional lumber for use on boardwalks, decks, docks, and landscape projects. The dimensional lumber will not rot, crack, split or splinter. Can be cut, drilled or nailed using standard woodworking tools. Unlike treated lumber it does not leach chemicals that pollute surface and groundwater. Graffiti from magic markers, paint and dirt can be removed with soap and water or a commercial solvent and vandal carvings can be smoothed. Available in a variety of standard dimensions, lengths and colors.
- Approximate price per board \$3.00-\$103.00 depending on desired size and color. Government discounts available.
- Plastic Recycling of Iowa Falls, Inc.
10252 Hwy. 65
Iowa Falls, Iowa 50126
Toll Free: (800) 338-1438
Phone: (641) 648-5073 Fax: (641) 648-5074
www.hammersplastic.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

Plastic Lumber



- Plastic Lumber is a recycled high-density polyethylene formulation or a commingled formulation, which is available in a variety of lumber sizes and colors. The plastic lumber will not splinter, rot, crumble or need painting saving in maintenance costs. Highly resistant to paint and marker graffiti.
- Approximate price per linear foot \$0.80-\$16.67 depending on desired size and color.
- The Plastic Lumber Company
115 West Bartges Street
Akron, OH 44311 Toll Free: (800) 886-8990 Phone:
(330) 762-8989 Fax: (330) 762-1613
www.plasticlumber.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

Soil Stabilization

2001



- 2001 is a complex polymer emulsion used for soil/aggregate stabilization that retains the adhesive characteristics of asphalt but offers more long-term protection from failure. Environmentally safe. Applied by spraying on surface, aerated, then compacted. Best to compact with vibratory compaction. Use in high UV areas.
 - Approximate price \$9.00 per gallon quantity discounts may apply.
 - Enviroseal Corporation
1019 South East Holbrook Court
Port St. Lucie, FL 34952
Toll Free: (800) 775-9474
Phone: (772) 335-8225
Fax: (772) 335-3991
www.enviroseal.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Base Seal



- Base Seal is a liquid soil stabilizer that was developed to bond and strengthen the subsurface of roads. Product has been used with clay, caliche, limestone, sandstone, or iron ore. Interacts as a powerful binder that keeps all particles cemented together. Environmentally safe. Non-toxic. Non-corrosive. Non-flammable. Non-allergenic.
 - Approximate price \$7.50 per gallon based on area, quantity discounts may apply.
 - Base Seal International, Inc.
15822 River Roads
Houston, TX 77079
Toll Free: (800) 729-6985
Phone: (281) 497-7743
Fax: (281) 497-1345
www.baseseal.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Geosynthetics



- The Tenax Corporation produces a variety of “geogrids” used for soil stabilization, base reinforcement and soil confinement. Contact manufacturer for distributor information and pricing.
- Tenax Corporation
4800 East Monument Street
Baltimore, MD 21205
Toll Free: (800) 356-8495
Phone: (410) 522-7000
Fax: (410) 522-7015
www.tenaxus.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

Klingstone 40



- Klingstone 40 and Klingstone 400 (Formerly Known as Mountain Grout Soil Stabilizer)Klingstone is a one component liquid material designed to solidify or consolidate granular soils (and aggregates). It is a hydrophobic polyurethane. Can be applied simply by pouring directly onto surface. The cured surface is essentially inert. Allow for a cure time of 24 hours, although cure time is highly dependent on temperatures, moisture content and type of soil. Klingstone 40 is for sandy soils and Klingstone 400 is for aggregates.
- Approximate price \$20 per gallon quantity discounts may apply.
- Klingstone, Inc.
235 Pigeon Street
Waynesville, NC 28786
Toll Free: (800) 942-5151
Fax: (828) 456-9699
www.klingstone.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

LDC



- “LDC”, which stands for “Liquid Dust Control” is a polymeric product that is diluted with available water up to 40:1, provides long term dust control in mines, dirt roads, agriculture or farm roads, stockpiled material, or haul roads.
 - Approximate price \$7.25 per gallon quantity discounts may apply.
 - Enviroseal Corporation
1019 South East Holbrook Court
Port St. Lucie, FL 34952
Toll Free: (800) 775-9474
Phone: (772) 335-8225
Fax: (772) 335-3991
www.enviroseal.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

M-10



- Military hi-strength, environmentally safe soil stabilizer. After three years of extensive research and development, Enviroseal chemists have developed a new and completely different soil stabilizer. This M-10+50 stabilizer/dust control agent is totally environmentally safe, non-toxic, non-hazardous and non-flammable, for the U.S. Department of Defense. In April of this year, final testing was completed and a commercial version has been approved for production.
 - Contact vendor for pricing.
 - Enviroseal Corporation
1019 South East Holbrook Court
Port St. Lucie, FL 34952
Toll Free: (800) 775-9474
Phone: (772) 335-8225
Fax: (772) 335-3991
www.enviroseal.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Perma-Zyme




- Perma-Zyme is a proprietary concentrated multi-enzymatic liquid soil stabilizer, manufactured exclusively by International Enzymes, Inc. It alters the properties of the earth material to create a dense bond. Perma-Zyme creates a highly compacted permanent base which will resist water penetration, rutting and washboarding, weathering and wear. The process typically takes two days, with a full cure over a 72 hour period. One gallon of Perma-Zyme will stabilize 165 cubic yards of base material.
- The approximate price is \$350.00 per gallon (\$0.039 per square foot for a 6-inch lift). Quantity discounts are available.
- Enfra, LLC
4081 East La Palma Avenue, Suite A
Anaheim, CA 92807
Toll Free: (800) 501-9007
www.permazymeusa.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

PolyPavement



- PolyPavement, the Natural Soil Pavement, is a non-toxic, non-corrosive, water-based polymeric compound. When applied to suitable soil, PolyPavement powerfully binds the soil particles forming a durable surface that is more supportive than asphalt, resists erosion, and looks completely natural. Approximate price for materials \$0.35 per square foot at 2" thick.
- PolyPavement
PO Box 36339
Los Angeles, CA 90036
Phone: (323) 954-2240
Fax: (323) 954-2244
www.polypavement.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

Presto GeoBlock



- A plastic porous pavement system with a network of 3.1 in x 3.2 in cells (approx. 87% open area). The units are 1.64 ft x 3.28 ft. x 2 in (nominal).
 - Approximate price is \$3.00 per sq. ft.
 - Presto Products Company
670 North Perkins Street
Appleton, WI 54912-2399
Toll Free: (800) 548-3424
Phone: (920) 738-1118
www.prestogeo.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Presto GeoRunner




- A plastic open-mesh flexible access system for pedestrian or wheelchair access. The plastic units weigh 8 lbs. and are approx. 2 ft x 4 ft. x ½ in.
 - Approximate cost is \$1.75 per sq. ft.
 - Presto Products Company
670 North Perkins Street
Appleton, WI 54912-2399
Toll Free: (800) 548-3424
Phone: (920) 738-1118
www.prestogeo.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Presto Geoweb



- A cellular soil confinement system with 8" diameter cells. The height of the cells range from 3" to 8". The product is sold in 8'x 20' sections.
 - Approximate price \$0.75-\$2.00 per square foot depending on desired cell height.
 - Presto Products Company
670 North Perkins Street
Appleton, WI 54912-2399
Toll Free: (800) 548-3424
Phone: (920) 738-1118
www.prestogeo.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Road Oyl



- Resin Modified Emulsion. High bonding emulsion for use in pavement applications, dust control treatment and erosion control. Price varies with locations and quantity, contact vendor.
 - Road Products Corporation
329 East Jackson Avenue
Knoxville, TN 37915
Toll Free: (800) 685-0539
Phone: (865) 637-6227
www.roadproductscorp.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Safety Deck



- Safety deck tiles are made from recycled rubber tires. The 20" x 20" tiles interlock by five interlocking lugs on each tile. Openings in the tiles allow for grass growth. It can be paced on sod or a newly sown area.
 - Approximate price \$6.45 (black) or \$6.95 (green) per square foot (retail).
 - Mat Factory
760 West 16th Street, Bldg. E
Costa Mesa, CA 92627-4319
Toll Free: (800) 628-7626
Phone: (949) 645-3122
Fax: (949) 645-0966
www.matfactoryinc.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Soil Saver

No Picture Available


- A heavy woven jute mesh that holds seed and soil intact on slopes, drainage ways, and other areas of concentrated water flow. It permits vegetation to grow through the mesh and is made from material that will decompose over time.
 - Contact vendor for pricing.
 - Jim Walls Corporation
12820 Hillcrest Road, #109
Dallas, TX 75230-1516
Phone: (972) 239-8577
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Stabilizer



- Stabilizer is a non-toxic organic soil additive for dirt or crushed stone surfaces. It is a colorless, odorless concentrated powder that is a natural glue. Stabilizer binds and locks aggregate screenings to provide a firm natural surface for pathways. Stabilizer does not act directly on larger aggregate. Non-staining.
 - Approximate price \$2.25 per pound (contractor price), quantity discounts may apply.
 - Stabilizer, Inc.
205 South 28th Street
Phoenix, AZ 85034
Toll Free: (800) 336-2468
Phone: (602) 225-5900
Fax: (602) 225-5902
www.stabilizersolutions.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Terravest



- Terravest is a liquid stabilizer used as a binder for single-size and multi-size dry sands, soils, and aggregates. Developed in Germany and is used on bike pathways. Liquid is mixed with material, then should be compacted or vibrated and will set within three hours. Long-term weathering resistance, high flexural strength, and resistance to de-icing salt. Environmentally safe.
 - Approximate price \$195.00 per 5 gallon bucket quantity discounts may apply.
 - Aqua-Shed Technologies
Fritz Kramer
PO Box 505
1304 Missouri Street
South Houston, Texas 77587
Toll Free: (800) 661-6646
Fax: (713) 947-9885
www.aqua-shed.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

T-NAPS



- Total Natural Access Paving Systems. A natural oil emulsion derived from Pine trees, which binds aggregates. High strength non-petroleum binder used for flexible permanent pavements and dust control.
 - Price varies with locations and quantity, contact vendor.
 - George L. Throop Company
444 North Fair Oaks Avenue
PO Box 92405
Pasadena, CA 91109-2405
Toll Free: (800) 796-0285
Fax: (626) 796-4298
www.t-naps.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Top-Seal



- Top-Seal is environmentally safe, low cost chemical solution that is mixed with water and used to control and manage a variety of soil conditions. Top-Seal can be used to stabilize virtually any soil base by simply applying it in quantities that would be sufficient to bind and transform the base into a solid mass of tightly cemented soil particles. Creates a resistance to moisture. Quickly dries into a hardened membrane that will trap and bind soil particles and loose aggregate. Applied to the soil or aggregate and allowed to dry. Contains no chemicals harmful to humans, plants, animal life or equipment.
 - Approximate price \$16.00 per gallon quantity discounts may apply.
 - Soils Control International, Inc.
1711 East Central Texas Expressway
Suite 105
Killeen, TX 76541-9166
Phone: (254) 526-5550 Fax: (254) 554-5999
www.soilscontrol.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Top Shield



- Top Shield contains co-polymers developed to penetrate and create a hard resilient surface by cementing loose material into a tight bond. When properly applied, Top Shield will harden to remain dust free and moisture resistant. It provides a strong barrier against the effects of a freeze thaw cycle.
- Approximate price \$7.50 per gallon based on area, quantity discounts may apply.
Base Seal International, Inc.
15822 River Roads
Houston, TX 77079
Toll Free: (800) 729-6985
Phone: (281) 497-7743
Fax: (281) 497-1345
www.baseseal.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

Temporary Surfaces

Bedford Plastic Timbers



- Bedford Plastic Timbers are made of recycled plastic that are finished, non-toxic and have been laboratory tested for consistency and have been proven to be a superior alternative to treated wood, concrete, and steel. Lumber comes in a variety of sizes and colors. Requires no painting or staining, resists oils and chemicals, splinter-free, ultraviolet protected, environmentally safe, will not decompose, and saws and drills like wood.
- Approximate price per board \$10.00-\$29.00 depending on desired size and color.
- Bedford Technology, LLC
2424 Armour Road
PO Box 609
Worthington, MN 56187-0565
Phone: (507) 372-5558
Fax: (507) 372-5726
www.bedfordtech.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

Diamond Rubber Mats



- Recycled rubber mats. Combines textured surfaces to provide cushioned comfort. Virtually maintenance free, they are easily installed in both new and existing facilities over any firm surface. 4-ft by 6-ft panel is approximately \$55.00, plus freight.
- Big Sun Equine Products, Inc.
2001 NW 1st Avenue
Ocala, FL 34475
Toll Free: (800) 366-9645
www.bigsunproducts.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

Eco Track



- Eco Trak panels are polyethylene, 2' x 4' x 2" thick, with molded in traction pattern that promotes easy rolling, and drainage holes that help alleviate damage to existing environment as well as provide drainage. The panels can be permanently connected or – when portability or seasonality are issues- temporarily connected utilizing the Quick Connect system which permits assembly/disassembly without use of tools, electricity or specialized knowledge. The panels can be assembled in squares or rectangles for temporary event flooring, or in 4' or 8' wide paths for beach access or bike/ped/wheelchair paths.
- Cost determined by quantity.
- Bike Trak holds a Federal Supply Schedule contract with GSA.
- Bike Track Incorporated
PO Box 235
Wood stock, VT 05091
Toll Free: (888) 663-8537
Phone: (802) 457-3275
Fax: (802) 457-3704
www.biketrack.com
- The National Center on Accessibility does not promote or endorse any product or manufacturer.

Mobi-mat



- Lightweight, portable and flexible material to be used on sand surfaces.
 - Contact vendor for pricing.
 - Recreation Dynamics
10012 James Monroe Highway
Culpeper, Va 22701
Phone: (866) 221-6999
Fax: (540) 937-7435
www.recreationdynamics.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Modular and Roll-Away Walkways



- Semi-permanent modular system made of Trex decking, plastic lumber or wood material can be removed seasonally and is a “seamless” surface. Roll-Away walkway is made with treated pine and nylon cord.
 - Contact vendor for pricing.
 - Mister Boardwalk
PO Box 789
Point Pleasant, NJ 08742
Toll Free: (800) 813-4050
Fax: (732) 905-1724
www.misterboardwalk.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Portafloor



- Roll-out flooring system which can be used to provide a firm, dry support base for a wide range of activities on a variety of ground surfaces. Little or no ground preparation is required and the rugged, non-slip surface incorporates drainage and ventilation slots.
 - Contact vendor for pricing.
 - PortaFloor
Sport Court, Inc.
939 South 700 West
Salt Lake City, UT 84104
Toll Free: (800) 487-7655
Phone: (801) 972-0260
Fax : (801) 975-7752
www.portafloor.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Privacy (Long Life) Lattice



- Lattice available in a variety of styles and colors. 4-ft by 8-ft section retails approximately \$20.00 each.
 - Available at your local Lowe's store
 - Brite Manufacturing, Inc.
Corporate Head Office
2 Manchester Court,
Bolton, Ontario
Canada L7E 2J3
Phone: (905) 857-6021
Fax: (905) 857-3211
www.britemanufacturing.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Rollout Path System Kit




- Originally designed for the beach, the lightweight Rollout Path System works on sand and a variety of other soft surfaces. 4-ft by 50-ft section is approximately \$636.35.
 - P.A.T.H.S. (Providing Access Through Hard Situations)
30 Hedgewood Drive Unionville
Ontario, Canada
L3R 6J6
Phone: (416) 816-7130
Fax: (905) 943-7446
www.paths.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Superdeck



- These modular walk and deck panels are made of polyethylene with UV inhibitors. It can be laid directly on wetland areas or sand. Support floats of varying thickness can be added to increase floatation.
 - Deck panels laid directly in a wetland or beach/sand area cost \$9 - \$10.00/sq. ft., adding optional flotation to the panels or "system", increases approximate cost to \$22 - \$24.00/sq. foot. Additional optional accessories such as railing assembly or curbing are sold per linear foot.
 - Superdeck Marketing,
Division of Aggressive Industries
8333 Sunset Road NE
Minneapolis, MN 55432
Toll Free: (800) 355-4093
www.superdecksystems.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Tuff Roll



- Tuff Roll is a durable product designed with resilience and comfort in mind. Spike and weather resistant. Ideal for various indoor and outdoor applications. Can be loose laid or permanently adhered.
 - Approximate price \$3.50 per sq. foot.
 - Surface America
PO Box 157
Williamsville, NY 14231
Toll Free: (800) 999-0555
Phone: (716) 632-8413
www.surfaceamerica.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Fibar



- Fibar is a surface composed of 8" to 12" of specially shredded wood fibers and a patented drainage system underneath. The fibers lock together to form a solid surface resisting movement of material.
 - Price quotes available upon request.
 - Fibar Systems
80 Business Park Drive, Suite 300
Armonk, NY 10504
Toll Free: (800) 342-2721
Phone: (914) 273- 8770
Fax: (914) 273-8659
www.fibar.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-

Woodcarpet



- Woodcarpet is an engineered wood fiber manufactured from fresh wood. Woodcarpet is an all-weather surface used in 50 states and 6 provinces, and it meets ASTM F 1951 for public playground surface accessibility. The recommended depth to install Woodcarpet is 6" to 8" after compaction for trails and 8" to 12" after compaction for playgrounds.
 - Zeager Bros., Inc.
4000 East Harrisburg Pike
Middletown, PA 17057
Phone: (800) 346-8524
Fax: (717) 944-7681
www.woodcarpet.com
 - The National Center on Accessibility does not promote or endorse any product or manufacturer.
-