

Publications Using IU Paleontology Collection

1. Alexander, R. R., 1976, Intraspecific variability in rhynchonellid brachiopods; test of a competition hypothesis: *Lethaia*, v. 9, no. 3, p. 235-244.
2. Alexander, R. R., 1975, Phenotypic Lability of the Brachiopod *Rafinesquina alternata* (Ordovician) and Its Correlation with the Sedimentologic Regime: *Journal of Paleontology*, v. 49, no. 4, p. 607-618.
3. Anstey, R. L., 1981, Zooid orientation structures and water flow patterns in Paleozoic bryozoan colonies: *Lethaia*, v. 14, no. 4, p. 287-302.
4. Anstey, R. L., and T. G. Perry, 1969, Redescription of Cotypes of *Peronopora vera* Ulrich, a Cincinnati (Late Ordovician) Ectoproct Species: *Journal of Paleontology*, v. 43, no. 2, p. 245-251.
5. Anstey, R. L., and T. G. Perry, 1973, Eden Shale bryozoans; a numerical study (Ordovician, Ohio Valley): *Paleontological Series (East Lansing)*, v. 1, no. 1, p. 1973.
6. Archer, A. W., and C. G. Maples, 1984, Trace-Fossil Distribution across a Marine-to-Nonmarine Gradient in the Pennsylvanian of Southwestern Indiana: *Journal of Paleontology*, v. 58, no. 2, p. 448-466.
7. Archer, A. W., and H. R. Feldman, 1986, Microbioherms of the Waldron Shale (Silurian, Indiana); implications for organic framework in Silurian reefs of the Great Lakes area: *Palaios*, v. 1, no. 2, p. 133-140.
8. Ausich, W. I., 1978, Community Organization, Paleontology, and Sedimentology of the Lower Mississippian Borden Delta Platform (Edwardsville Formation, Southern Indiana), Doctoral, Indiana University, Bloomington, Indiana, 1 p.
9. Ausich, W. I., 1977, The Functional Morphology and Evolution of *Pisocrinus* (Crinoidea: Silurian): *Journal of Paleontology*, v. 51, no. 4, p. 672-686.
10. Ausich, W. I., 1978, *Pisocrinus* from California, Nevada, Utah and Gaspé Peninsula: *Journal of Paleontology*, v. 52, no. 2, p. 487-491.
11. Ausich, W. I., T. W. Kammer, and N. G. Lane, 1979, Fossil Communities of the Borden (Mississippian) Delta in Indiana and Northern Kentucky: *Journal of Paleontology*, v. 53, no. 5, p. 1182-1196.
12. Ausich, W. I., 1979, *Hondichnus monroensis* n. gen., n. sp. a New Early Mississippian Trace Fossil: *Journal of Paleontology*, v. 53, no. 5, p. 1155-1159.
13. Ausich, W. I., and R. A. Gurrola, 1979, Two Boring Organisms in a Lower Mississippian Community of Southern Indiana: *Journal of Paleontology*, v. 53, no. 2, p. 335-344.
14. Ausich, W. I., 1980, A Model for Niche Differentiation in Lower Mississippian Crinoid Communities: *Journal of Paleontology*, v. 54, no. 2, p. 273-288.
15. Ausich, W. I., and N. G. Lane, 1982, Crinoids from the Edwardsville Formation (Lower Mississippian) of Southern Indiana: *Journal of Paleontology*, v. 56, no. 6, p. 1343-1361.
16. Ausich, W. I., 1983, Functional Morphology and Feeding Dynamics of the Early Mississippian Crinoid *Barycrinus asteriscus*: *Journal of Paleontology*, v. 57, no. 1, p. 31-41.

Publications Using IU Paleontology Collection

17. Bandy, O. L., 1944, Eocene Foraminifera from Cape Blanco, Oregon: *Journal of Paleontology*, v. 18, no. 4, p. 366-377.
18. Bandy, O. L., 1949, Eocene and Oligocene Foraminifera from Little Stave Creek, Clarke County, Alabama: *Bulletins of American Paleontology*, v. 32, no. 131, p. Mar.
19. Beecher, C. E., 1902, Notes on a new Xiphosuran from the upper Devonian of Pennsylvania: *American Geologist*, p. 143-146.
20. Beede, J. W., 1916, New species of fossils from the Pennsylvanian and Permian rocks of Kansas and Oklahoma: *Indiana University Studies*, v. 3, no. 29, p. 1916.
21. Beede, J. W., 1906, Fauna of the Salem limestone; Foraminifera and Anthozoa Echinoderma, Vermes, Brachiopoda, Pelecypoda: *Annual Report of the State Geologist of Indiana Geological Survey*, p. 1201-1218.
22. Berry, B. R., 1961, Early Pennsylvanian foraminifera from southern Indiana and northern Kentucky, Masters, Indiana University,
23. Bless, M. J. M., and H. Jordan, 1970, Stratigraphical and taxonomical remarks on the ostracode genus *Hollinella* Coryell: *Mededelingen Rijks Geologische Dienst*, v. 21, p. 81-85.
24. Boardman, R. S., and J. Utgaard, 1966, A Revision of the Ordovician Bryozoan Genera *Monticulipora*, *Peronopora*, *Heterotrypa*, and *Dekayia*: *Journal of Paleontology*, v. 40, no. 5, p. 1082-1108.
25. Boneham, R. F., 1975, Marine invertebrate fossils in Pennsylvanian coal balls from southern Indiana: *Proceedings of the Indiana Academy of Science*, v. 85, p. 78-88.
26. Boneham, R. F., 1969, Middle Devonian (Erian) Chitinozoan Casts from Silica, Lucas County, Ohio: *Journal of Paleontology*, v. 43, no. 2, p. 527-528.
27. Boneham, R. F., 1970, Acritarchs (leiosphaeridia) in the new alban shale of southern indiana: *Proceedings of the Indiana Academy of Science*, v. 79, p. 254-262.
28. Boneham, R. F., and W. R. Masters, 1971, Silurian Chitinozoa from Indiana; 1, The Mississinewa Shale Member of north-central Indiana: *Proceedings of the Indiana Academy of Science*, v. 80, no. 80, p. 320-329.
29. Boneham, R. F., and I. L. Tailleux, 1972, Leiosphaeridia (Acritarcha) in the Mesozoic oil shales of northern Alaska: *U.S. Geological Survey Professional Paper*, p. B17-B19.
30. Boneham, R. F., and W. R. Masters, 1973, Silurian Chitinozoa of Indiana; II, The Waldron Shale and Osgood Member of the Salamonie Dolomite: *American Midland Naturalist*, v. 90, no. 1, p. 87-96.
31. Boneham, R. F., 1979, Environmental geology of Fountain, Parke, and Vermillion counties, Indiana: *Proceedings of the Indiana Academy of Science*, v. 89, p. 310-319.
32. Boneham, R. F., and T. E. Kesler, 1986, Computer-aided location of bioherms in southwestern Indiana: *Abstracts with Programs - Geological Society of America*, v. 18, p. 546, 1986.

Publications Using IU Paleontology Collection

33. Boneham, R. F., and T. E. Kesler, 1987, New reef structures in Daviess County, Indiana: Proceedings of the Indiana Academy of Science, v. 96, p. 317-319.
34. Boyd, D. W., and N. D. Newell, 1968, Hinge grades in the evolution of crassatellacean bivalves as revealed by Permian genera: American Museum Novitates, v. 2328, p. 1968.
35. Bradfield, H. H., 1935, Pennsylvanian Ostracoda of the Ardmore Basin, Oklahoma: Bulletins of American Paleontology, v. 22, no. 73, p. Jan.
36. Branson, E. B., 1906, Fish remains from the Salem limestone of Indiana: Annual Report of the State Geologist of Indiana Geological Survey, p. 1376-1394.
37. Branson, E. B., and M. G. Mehl, 1931, Fish remains of the western interior Triassic [abstracts]: Geological Society of America Bulletin, v. 42, no. 1, p. 330-331.
38. Brown, G. D., Jr., 1964, Trepostomatous bryozoa from the Logana and Jessamine Limestones (Mohawkian) of the Kentucky Bluegrass region: Special Paper - Geological Society of America, p. 24, 1964.
39. Brown, G. D., Jr., 1965, Trepostomatous Bryozoa from the Logana and Jessamine limestones (Middle Ordovician) of the Kentucky bluegrass region: Journal of Paleontology, v. 39, no. 5, p. 974-1006.
40. Brown, G. D., Trepostomatous Bryozoa from the Logana and Jessamine limestones (Mohawkian) of the Kentucky Bluegrass region.
41. Brown, L. M., C. B. Rexroad, J. Beard, and D. Williams, 1990, Phylogenetic and zonal implications of *Cavusgnathus tythus* n.sp. (Conodonta) from the Kinkaid Limestone (Upper Mississippian) of western Kentucky, U. S. A: *Geologica et Palaeontologica*, v. 24, p. 77-87.
42. Brown, L. M., C. B. Rexroad, D. L. Eggert, A. S. Horowitz, and C. I. Smith, 1990, Conodonts of the Providence Limestone Member of the Dugger Formation (Pennsylvanian, Desmoinesian) of the southeastern part of the Illinois Basin: Abstracts with Programs - Geological Society of America, v. 22, no. 1, p. 2-3.
43. Brown, L. M., C. B. Rexroad, D. L. Eggert, and A. S. Horowitz, 1991, Conodont paleontology of the Providence Limestone Member of the Dugger Formation (Pennsylvanian, Desmoinesian) in the southern part of the Illinois Basin: *Journal of Paleontology*, v. 65, no. 6, p. 945-957.
44. Browne, R. G., and V. J. Schott, 1963, Arenaceous Foraminifera from the Osgood Formation at Osgood, Indiana: *Bulletins of American Paleontology*, v. 46, no. 209, p. 191-242.
45. Burdick, D. W., and H. L. Strimple, 1969, Revision of some Chesteran inadunate crinoids: 14 pp., p. pp.
46. Burdick, D. W., and H. L. Strimple, 1971, Faunal studies of the type Chesteran, upper Mississippian of southwestern Illinois; part 2, Crinoids from the Beech Creek limestone, lower Golconda group, Saint Clair County, Illinois: *University of Kansas Paleontological Contributions*, v. 51, p. 15-47.
47. Burdick, D. W., and H. L. Strimple, 1973, New late Mississippian crinoids from northern Arkansas: *Journal of Paleontology*, v. 47, no. 2, p. 231-243.

Publications Using IU Paleontology Collection

48. Burdick, D. W., and H. L. Strimple, 1982, Genevievian and Chesterian crinoids of Alabama: Bulletin - Geological Survey of Alabama, v. 121, p. 1982.
49. Burdick, D. W., and H. L. Strimple, 1982, Genevievian and Chesterian crinoids of Alabama: Bulletin - Geological Survey of Alabama, v. 121, p. 1982.
50. Campbell, M. R., Systematics and phylogenetics of the family Streptacididae (Gastropoda, Heterobranchia) from Devonian through Triassic marine strata.
51. Campbell, M. R., 2001, Phylogenetic and evolutionary implications of Pennsylvanian silicified marine Gastropoda from Indiana: *PaleoBios*, v. 21, no. 2, p. 38, 11.
52. Campbell, M. R., 2002, Faunal patterns of Pennsylvanian silicified marine Gastropoda from Indiana: Abstracts with Programs - Geological Society of America, v. 34, no. 2, p. 117, Mar.
53. Campbell, M. R., 2002, Systematics and phylogenetics of late Paleozoic Streptacidae (Gastropoda): Abstracts with Programs - Geological Society of America, v. 34, no. 6, p. 267, Oct.
54. Campbell, M. R., 2004, Systematics of the genus *Streptacis* (Gastropoda, Heterostropha): Abstracts with Programs - Geological Society of America, v. 36, no. 2, p. 134, Mar.
55. Canright, J. E., 1959, Fossil plants of Indiana: Report of Progress - Indiana, v. 14, p. Aug.
56. Conkin, J. E., Stratigraphy and paleontology of lower New Providence Beds in Jefferson and Bullitt counties, Kentucky.
57. Conkin, J. E., 1957, Stratigraphy of the New Providence Formation (Mississippian) in Jefferson and Bullitt counties, Kentucky, and fauna of the Coral Ridge member: *Bulletin of American Paleontology*, v. 38, no. 168, p. 109-157.
58. Conner, G. A., 1987, *Neuropteris ovata* in lacustrine facies sequence below Raben Branch Member (Patoka Fm.) at St. Wendel, Indiana and related Carboniferous reconnaissance investigations: *Proceedings of the Indiana Academy of Science*, v. 96, p. 321-331.
59. Cooper, B. J., 1977, Toward a familial classification of Silurian conodonts: *Journal of Paleontology*, v. 51, no. 6, p. 1057-1071.
60. Corneliussen, E. F., and T. G. Perry, 1970, The ectoproct *batostoma cornula* (cumings and galloway) and its enigmatic intrazooecial spines. Fort atkinson limestone (cincinnati), wilmington, illinois: *Journal of Paleontology*, v. 44, no. 6, p. 997-1008.
61. Corneliussen, E. F., and T. G. Perry, 1973, *Monotrypa*, *Hallopora*, *Amplexopora*, and *Hennigopora* (Ectoprocta) from the Brownsport Formation (Niagaran), western Tennessee: *Journal of Paleontology*, v. 47, no. 2, p. 151-220.
62. Coryell, H. N., Bryozoan faunas of the Stone River Group of central Tennessee.
63. Coryell, H. N., 1921, Bryozoan faunas of the Stones River group of central Tennessee: *Proceedings of the Indiana Academy of Science*, p. 261-340.

Publications Using IU Paleontology Collection

64. Cuffey, R. J., G. H. Johnson, and D. L. Rasmussen, 1964, A microtine rodent and associated gastropods from the upper Pleistocene of southwestern Indiana: *Journal of Paleontology*, v. 38, no. 6, p. 1109-1111.
65. Cuffey, R. J., 1967, Bryozoan *Tabulipora carbonaria* in Wreford megacyclothem (Lower Permian) of Kansas: *University of Kansas Paleontological Contributions*, v. 43, no. 43-1, p. 1967.
66. Cuffey, R. J., 1967, Bryozoan *Tabulipora carbonaria* in Wreford megacyclothem (Lower Permian) of Kansas: *University of Kansas Paleontological Contributions*, p. 1967.
67. Cuffey, R. J., The bryozoan species *Tabulipora carbonaria* in the Wreford Megacyclothem (Lower Permian) in Kansas.
68. Cumings, E. R., Nomenclature and description of the geological formations of Indiana. In *Handbook of Indiana geology* (Indiana, Dept. Conservation, Pub. no. 21).
69. Cumings, E. R., and R. R. Schrock, The geology of the Silurian rocks of northern Indiana.
70. Cumings, E. R., 1900, On the Waldron fauna at Tarr Hole, Indiana: *Proceedings of the Indiana Academy of Science*, p. 174-176.
71. Cumings, E. R., 1901, The use of Bedford as a formational name: *Journal of Geology*, p. 232-233.
72. Cumings, E. R., 1901, *Orthotheses minutus*, n. sp., from the Salem limestone of Harrodsburg, Indiana: *American Geologist*, p. 147-149.
73. Cumings, E. R., 1901, A section of the upper Ordovician at Vevay, Indiana: *American Geologist*, p. 361-380.
74. Cumings, E. R., 1901, Some developmental stages of *Orthotheses minutus* n. sp: *Proceedings of the Indiana Academy of Science*, p. 216-218.
75. Cumings, E. R., 1901, Notes on the Ordovician rocks of southern Indiana: *Proceedings of the Indiana Academy of Science*, p. 200-215.
76. Cumings, E. R., 1902, A revision of the bryozoan genera *Dekayia*, *Dekayella*, and *Heterotrypa* of the Cincinnati group: *American Geologist*, p. 197-218.
77. Cumings, E. R., and A. V. Mauck, 1902, A quantitative study of variation in the fossil brachiopod *Platystrophia lynx*: *American Journal of Science*, v. 14, no. 79, p. 9-16.
78. Cumings, E. R., 1903, The morphogenesis of *Platystrophia*; a study of the evolution of a Paleozoic brachiopod: *American Journal of Science*, v. 15, no. 85, p. 1-48.
79. Cumings, E. R., 1903, Studies of Recent Brachiopoda: *The American Naturalist*, v. 37, no. 434, p. 121-124.
80. Cumings, E. R., 1904, Development of some Paleozoic Bryozoa: *American Journal of Science*, v. 17, no. 97, p. 49-78.
81. Cumings, E. R., 1905, Development of *Fenestella*: *American Journal of Science*, v. 20, no. 117, p. 169-177.

Publications Using IU Paleontology Collection

82. Cumings, E. R., and J. W. Beede, 1906, Fauna of the Salem limestone of Indiana; introduction: Annual Report of the State Geologist of Indiana Geological Survey, p. 1189-1201.
83. Cumings, E. R., 1906, Description of the Bryozoa of the Salem limestone of southern Indiana; Gastropoda, Cephalopoda, and Trilobita of the Salem limestone: Annual Report of the State Geologist of Indiana Geological Survey, p. 1274-1296.
84. Cumings, E. R., 1906, The weathering of the Subcarboniferous limestones of southern Indiana: Proceedings of the Indiana Academy of Science, p. 85-89.
85. Cumings, E. R., 1908, The stratigraphy and paleontology of the Cincinnati series of Indiana: Annual Report of the State Geologist of Indiana Geological Survey, p. 605-1188.
86. Cumings, E. R., 1910, Paleontology and the recapitulation theory: Proceedings of the Indiana Academy of Science, p. 305-340.
87. Cumings, E. R., 1912, Development and systematic position of the monticuliporoids: Geological Society of America Bulletin, v. 23, p. 357-370.
88. Cumings, E. R., 1912, Geological conditions of municipal water supply in the driftless area of southern Indiana: Proceedings of the Indiana Academy of Science, p. 111-146.
89. Cumings, E. R., and J. J. Galloway, 1912, A note on the batostomas of the Richmond series: Proceedings of the Indiana Academy of Science, p. 147-167.
90. Cumings, E. R., and J. J. Galloway, 1913, The stratigraphy and paleontology of the Tanner's Creek section of the Cincinnati series of Indiana: Annual Report of the State Geologist of Indiana Geological Survey, p. 353-478.
91. Cumings, E. R., and J. J. Galloway, 1915, Studies of the morphology and histology of the Trepostomata or monticuliporoids: Geological Society of America Bulletin, v. 26, p. 349-374.
92. Cumings, E. R., 1917, Memorial of Charles Smith Prosser: Geological Society of America Bulletin, v. 28, p. 70-80.
93. Cumings, E. R., and R. R. Shrock, 1927, The Silurian coral reefs of northern Indiana and their associated strata: Proceedings of the Indiana Academy of Science, v. 36, p. 71-85.
94. Cumings, E. R., and R. R. Shrock, 1928, The geology of the Silurian rocks of northern Indiana: Indiana, v. 75, p. 1928.
95. Cumings, E. R., and R. R. Shrock, 1928, Niagaran coral reefs of Indiana and adjacent States and their stratigraphic relations: Geological Society of America Bulletin, v. 39, no. 2, p. 579-620.
96. Cumings, E. R., and R. R. Shrock, 1928, Niagaran coral reefs of Indiana and adjacent States and their stratigraphic relations: Geological Society of America Bulletin, v. 39, no. 2, p. 579-620.
97. Cumings, E. R., and R. R. Shrock, 1928, The geology of the Silurian rocks of northern Indiana: Indiana, v. 75, p. 1928.

Publications Using IU Paleontology Collection

98. Cumings, E. R., 1930, Silurian reefs near Tiffin, Carey, and Marseilles, Ohio: Proceedings of the Indiana Academy of Science, v. 39, p. 199-204.
99. Cumings, E. R., 1930, List of species from the New Corydon, Kokomo, and Kenneth formations of Indiana, and from reefs in the Mississinewa and Liston Creek formations: Proceedings of the Indiana Academy of Science, v. 39, p. 204-211.
100. Cumings, E. R., 1932, Reefs or bioherms?: Geological Society of America Bulletin, v. 43, no. 1, p. 331-352.
101. Cumings, E. R., 1939, No New Corydon in the Huntington Quarry (Indiana): Proceedings of the Indiana Academy of Science, v. 48, p. 113, 1939.
102. Cumings, E. R., 1941, Silurian correlations in the east central province: Proceedings of the Indiana Academy of Science, v. 50, p. 131-132.
103. Daly, E., and G. D. Brown, Jr., 1979, The trepostomatous bryozoan genus Hallopora Bassler in the Dillsboro Formation (Cincinnatian) of southeastern Indiana: Abstracts with Programs - Geological Society of America, v. 11, no. 1, p. 9, Jan.
104. Deiss, C. F., 1936, Revision of type Cambrian formations and sections of Montana and Yellowstone National Park: Geological Society of America Bulletin, v. 47, no. 8, p. 1257-1342.
105. Deiss, C. F., 1938, Cambrian formations and sections in part of Cordilleran Trough: Geological Society of America Bulletin, v. 49, no. 7, p. 1067-1168.
106. Deiss, C. F., 1938, Cambrian geography and sedimentation in Montana: Proceedings of the Geological Society of America, p. 274, Jun.
107. Deiss, C. F., 1938, Middle Cambrian trilobite faunas in the southern part of the Cordilleran Trough: Proceedings of the Geological Society of America, p. 274-275.
108. Deiss, C. F., 1939, Cambrian formations of southwestern Alberta and southeastern British Columbia: Geological Society of America Bulletin, v. 50, no. 6, p. 951-1026.
109. Deiss, C. F., 1939, Cambrian stratigraphy and trilobites of northwestern Montana: Special Paper - Geological Society of America, p. Apr.
110. Deiss, C. F., 1940, Lower and Middle Cambrian stratigraphy of southwestern Alberta and southeastern British Columbia: Geological Society of America Bulletin, v. 51, no. 5, p. 731-794.
111. Deiss, C. F., 1941, Cambrian geography and sedimentation in the central Cordilleran region: Geological Society of America Bulletin, v. 52, no. 7, p. 1085-1115.
112. Deiss, C. F., 1941, Cambrian geography and sedimentation in the central Cordilleran region: Geological Society of America Bulletin, v. 52, p. 1085-1116.
113. Dodd, J. R., R. J. Stanton, Jr., and R. R. Alexander, 1977, Allometric and paleoenvironmental control of eccentricity of the Pliocene echinoid *Dendraster*: Abstracts with Programs - Geological Society of America, v. 9, no. 5, p. 590, 28.
114. Elias, M. K., 1966, Living and fossil algae and fungi, formerly known as structural parts of marine bryozoans: *The Palaeobotanist*, v. 14, p. 5-18.

Publications Using IU Paleontology Collection

115. Feldman, H. R., Paleontology and paleoecology of the Somerset Shale Member of the Salem Limestone (Mississippian) in central Kentucky.
116. Feldman, H. R., 1989, Echinoderms of the Somerset Shale Member, Salem Limestone (Mississippian), in Indiana and Kentucky: *Journal of Paleontology*, v. 63, no. 6, p. 900-912.
117. Flower, R. H., 1939, Harrisoceras, a new structural type of orthochoantic nautiloid: *Journal of Paleontology*, v. 13, no. 5, p. 473-480.
118. Frey, R. W., 1969, Trace fossils from the Fort Hays Limestone Member of the Niobrara Chalk (Upper Cretaceous) in west-central Kansas: *Special Paper - Geological Society of America*, p. 657-658.
119. Frey, R. W., and J. Cowles, 1969, New observations on Tisoa, a trace fossil from the Lincoln Creek Formation (mid-Tertiary) of Washington: *Compass of Sigma Gamma Epsilon*, v. 47, no. 1, p. 10-22.
120. Frey, R. W., 1970, Trace fossils of Fort Hays Limestone Member of Niobrara Chalk (Upper Cretaceous), west-central Kansas: *University of Kansas Paleontological Contributions*, v. 53, no. 2, p. 1970.
121. Frey, R. W., and G. P. Larwood, 1971, *Pyripora shawi*; new bryozoan from the upper Cretaceous of Kansas (Niobrara Chalk) and Arkansas (Brownstown Marl): *Journal of Paleontology*, v. 45, no. 6, p. 969-976.
122. Frey, R. W., and J. G. Cowles, 1972, The trace fossil Tisoa in Washington and Oregon: *The Ore Bin*, v. 34, no. 7, p. 113-119.
123. Frey, R. W., Stratigraphy, ichnology, and paleoecology of the Fort Hays limestone member of the Niobrara chalk (upper Cretaceous) in Trego County, Kansas.
124. Galloway, J. J., and H. V. Kaska, The genus *Pentremites* and its species.
125. Galloway, J. J., A manual of foraminifera (James Furman Kemp memorial series, Pub. 1).
126. Galloway, J. J., and C. E. Heminway, 1941, The Tertiary Foraminifera of Porto Rico: *N.Y.Acad.Sci.*, v. 3, p. 275-491.
127. Galloway, J. J., and H. V. Kaska, 1957, Genus *Pentremites* and its species: *Memoir - Geological Society of America*, v. 31, no. 5, p. Apr.
128. Garihan, A. L., and R. J. Cuffey, 1973, Stratigraphy of the Wreford Megacyclothem (lower Permian) in southernmost Kansas and northern Oklahoma: *Abstracts with Programs - Geological Society of America*, v. 5, no. 2, p. 163, 1973.
129. Glenister, B. F., T. E. Bolton, T. W. Broadhead, N. Eldredge, N. J. Silberling, W. C. Sweet, and T. R. Waller, Fossil invertebrates; collections in North American repositories 1976.
130. Godefroid, J., and J. A. Fagerstrom, 1983, Le genre *Paraspirifer* Wedekind, R., 1926 dans le Devonien moyen de la partie orientale de l'Amerique du Nord. Genus *Paraspirifer* Wedekind, R., 1926 in Middle Devonian from eastern North America: *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique.Sciences de la Terre*, v. 55, no. 2, p. 1-61.

Publications Using IU Paleontology Collection

131. Greene, F. C., 1908, Fauna of the Florena shale of the Grand Summit section of Kansas, and remarks on the development of *Derbya Multistriata* Meek and Hayden: Proceedings of the Indiana Academy of Science, p. 114-127.
132. Greene, F. C., 1908, The development of a Carboniferous brachiopod, *chonetes granulifer* Owen: *Journal of Geology*, v. 16, p. 654-663.
133. Guennel, G. K., and R. C. Neavel, 1961, *Torispora securis* Balme; spore or sporangial wall cell: *Micropaleontology*, v. 7, no. 2, p. 207-212.
134. Guennel, G. K., 1954, An interesting megaspore species found in Indiana Block coal: vol.11, v. 111.11, p. 169-177.
135. Guennel, G. K., 1958, Miospore analysis of the Pottsville coals of Indiana: *Bulletin - Indiana*, v. 13, p. Sep.
136. Gutschick, R. C., 1965, *Pterotocrinus* from the Kinkaid Limestone (Chester, Mississippian) of Illinois and Kentucky: *Journal of Paleontology*, v. 39, no. 4, p. 636-646.
137. Gutschick, R. C., 1947, *Pterotocrinus* from the Kinkaid Formation of southern Illinois and western Kentucky: *Geological Society of America Bulletin*, v. 58, no. 12, p. 1186, Dec.
138. Hageman, S. J., and E. M. Snyder, 1987, *Worthenopora* (Bryozoa, *Stenolaemata*); morphology and stratigraphic usefulness of a cryptostome (*Ptilodictyina*) with a cheilostome appearance: *Abstracts with Programs - Geological Society of America*, v. 19, no. 4, p. 202, Mar.
139. Hageman, S. J., 1991, *Worthenopora*; an unusual cryptostome (Bryozoa) that looks like a cheilostome: *Journal of Paleontology*, v. 65, no. 4, p. 648-661.
140. Hattin, D. E., 1958, Regeneration in a Pennsylvanian crinoid spine: *Journal of Paleontology*, v. 32, no. 4, p. 701-702.
141. Hattin, D. E., 1959, An occurrence of *Ophiuraster burrisi* Miller [Kansas]: *Journal of Paleontology*, v. 33, no. 6, p. 1125-1126.
142. Hirt, D. S., Occurrence and biochronology of Middle Mississippian brachiopods of the Ramp Creek Formation and Harrodsburg Limestone, Indiana and Kentucky.
143. Hirt, D. S., 1991, Mississippian brachiopod biostratigraphy and the Osagean-Meramecian boundary in south-central Indiana: *Journal of Paleontology*, v. 65, no. 6, p. 912-916.
144. Horowitz, A. S., B. L. Mamet, R. Neves, P. E. Potter, and C. B. Rexroad, 1979, Carboniferous paleontological zonation and intercontinental correlation of the Fowler No. 1 Traders Core, Scott County, Tennessee, U.S.A: *Southeastern Geology*, v. 20, no. 4, p. 205-228.
145. Horowitz, A. S., and T. G. Perry, 1961, Correlation with Great Britain of Glen Dean crinoid fauna (Chester, Mississippian) from Illinois Basin: *Journal of Paleontology*, v. 35, no. 4, p. 866-868.
146. Horowitz, A. S., 1965, Crinoids from the Glen Dean Limestone (Middle Chester) of southern Indiana and Kentucky: *Bulletin - Indiana*, p. 1965.

Publications Using IU Paleontology Collection

147. Horowitz, A. S., and C. B. Rexroad, 1982, An evaluation of statistical reconstructions of multielement conodont taxa from middle Chesterian rocks (Carboniferous) in southern Indiana: *Journal of Paleontology*, v. 56, no. 4, p. 959-969.
148. Horowitz, A. S., 1986, Notes on the history of the Paleontological Collection, Department of Geology, Indiana University: *Proceedings of the Indiana Academy of Science*, v. 95, p. 375-379.
149. Howell, B. F., J. Bridge, C. F. Deiss, N. M. Denson, I. Edwards, C. Lochman, J. F. Mason, G. O. Raasch, and C. E. Resser, 1944, Correlation of the Cambrian formations of North America [Chart no. 1]: *Geological Society of America Bulletin*, v. 55, no. 8, p. 993-1003.
150. Huddle, J. W., Conodonts from the New Albany Shale of Indiana.
151. Huddle, J. W., 1933, Marine fossils from the top of the New Albany shale of Indiana: *American Journal of Science*, v. 25, no. 148, p. 303-314.
152. Huddle, J. W., 1934, Conodonts from the New Albany shale of Indiana: *Bulletins of American Paleontology*.
153. Jannusch, D., 2008, Systematics and Paleoecology of Devonian stromatoporoids from the Cou Falls, Iowa City, and Osage Springs Members, east-central Iowa., Doctoral, University of Iowa, 1 p.
154. Jeppsson, L., 1974, Aspects of late Silurian conodonts: *Fossils and Strata*, no. 6, p. 20.
155. Jeppsson, L., 1974, Aspects of late Silurian conodonts: *Fossils and Strata*, no. 6, p. 20.
156. Johnson, C. C., 2002, The rise and fall of rudist reefs; reefs of the dinosaur era were dominated not by corals but by odd bivalves: *American Scientist*, v. 90, no. 2, p. 148-153.
157. Johnson, C. C., D. Sanders, E. G. Kauffman, and W. W. Hay, 2002, Patterns and processes influencing Upper Cretaceous reefs: *Special Publication - Society for Sedimentary Geology*, v. 72, p. 549-585.
158. Johnson, C. C., W. R. Ram rez, R. M. Leckie, S. Y. Hernandez, E. A. Barrow, M. Hegewald, and J. Velez, 2006, Oligocene reef deposits linked to ODP site 999 with strontium isotope stratigraphy: *Abstracts with Programs - Geological Society of America*, v. 38, no. 7, p. 557, Oct.
159. Johnson, C. C., E. R. Elswick, M. M. Dalkilic, P. D. Polly, A. J. Enneking, and J. R. Gehlhausen, 2007, Preservation and development of paleontology collections for research and education: *Abstracts with Programs - Geological Society of America*, v. 39, no. 6, p. 154, Oct.
160. Kammer, T. W., 1982, Application of aerosol filtration theory to the interpretation of crinoid distribution on a Mississippian delta: *Abstracts with Programs - Geological Society of America*, v. 14, no. 7, p. 524, Aug.
161. Kammer, T. W., 1985, Basinal and prodeltaic communities of the Early Carboniferous Borden Formation in northern Kentucky and southern Indiana (U.S.A.): *Palaeogeography*, v. 49, no. 1-2, p. 79-121.

Publications Using IU Paleontology Collection

162. Kammer, T. W., 1985, Aerosol filtration theory applied to Mississippian deltaic crinoids: *Journal of Paleontology*, v. 59, no. 3, p. 551-560.
163. Kammer, T. W., W. I. Ausich, and J. M. Parrish, 1987, Aerosol suspension feeding and current velocities; distributional controls for late Osagean crinoids: *Paleobiology*, v. 13, no. 4, p. 379-395.
164. Kindle, E. M., 1901, The Devonian fossils and stratigraphy of Indiana: *Annual Report of the State Geologist of Indiana Geological Survey*, p. 529-758.
165. Kindle, E. M., 1902, The Niagara limestones of Hamilton County, Indiana: *American Journal of Science*, v. 14, no. 81, p. 221-224.
166. Kindle, E. M., 1904, The stratigraphy and paleontology of the Niagara of northern Indiana: *Annual Report of the State Geologist of Indiana Geological Survey*, p. 397-486.
167. Kindle, E. M., 1904, The stratigraphy and paleontology of the Niagara of northern Indiana: *Annual Report of the State Geologist of Indiana Geological Survey*, p. 397-486.
168. Kindle, E. M., and C. L. Breger, 1904, Paleontology of the Niagara of northern Indiana: *Annual Report of the State Geologist of Indiana Geological Survey*, p. 428-486.
169. Kindle, E. M., 1914, What does the Medina sandstone of the Niagara section include?: *Science*, p. 915-918.
170. Kottlowski, F. E., 1950, A new species of *Atrypa* from the Devonian of Montana: *Proceedings of the Indiana Academy of Science*, v. 59, p. 246-250.
171. Kues, B. S., 1978, Polyplacophora from the Salem Limestone (Mississippian) in central Indiana: *Journal of Paleontology*, v. 52, no. 2, p. 300-310.
172. Kues, B. S., 1990, New and little known Middle Pennsylvanian gastropods from the Flechado Formation, Taos County, New Mexico: *Guidebook - New Mexico Geological Society*, v. 41, p. 251-258.
173. Kues, B. S., and K. K. Kietzke, 1981, A large assemblage of a new eurypterid from the Red Tanks Member, Madera Formation (Late Pennsylvanian-Early Permian) of New Mexico: *Journal of Paleontology*, v. 55, no. 4, p. 709-729.
174. Kues, B. S., and R. L. Batten, 2001, Middle Pennsylvanian gastropods from the Flechado Formation, north-central New Mexico: *Memoir - Paleontological Society*, v. 54, p. Jan.
175. Lane, N. G., 1976, A crinoid tegmen composed of holothurian sclerites: *Journal of Paleontology*, v. 50, no. 2, p. 240-244.
176. Lane, N. G., and J. J. Burke, 1976, Arm movement and feeding mode of inadunate crinoids with biserial muscular arm articulations: *Paleobiology*, v. 2, no. 3, p. 202-208.
177. Lane, N. G., and W. I. Ausich, 1981, Interreef Crinoid Fauna from the Mississinewa Shale Member of the Wabash Formation (Northern Indiana; Silurian; Echinodermata): *Journal of Paleontology*, v. 69, no. 6, p. 1090-1106.
178. Lane, N. G., 1980, A Pennsylvanian sponge-spicule mat as a firm substrate: *Abstracts with Programs - Geological Society of America*, v. 12, no. 5, p. 232, Feb.

Publications Using IU Paleontology Collection

179. Lane, N. G., and G. D. Sevastopulo, 1981, Functional morphology of a microcrinoid; *Kallimorphocrinus punctatus* n. sp: *Journal of Paleontology*, v. 55, no. 1, p. 13-28.
180. Lane, N. G., 1981, A nearshore sponge spicule mat from the Pennsylvanian of West-central Indiana: *Journal of Sedimentary Petrology*, v. 51, no. 1, p. 197-202.
181. Lane, N. G., and G. D. Sevastopulo, 1982, Growth and systematic revision of *Kallimorphocrinus astrus*, a Pennsylvanian microcrinoid: *Journal of Paleontology*, v. 56, no. 1, p. 244-259.
182. Lapham, K. E., W. I. Ausich, and N. G. Lane, 1976, A technique for developing the stereom of fossil crinoid ossicles: *Journal of Paleontology*, v. 50, no. 2, p. 245-248.
183. Lee, K. G., W. I. Ausich, and T. W. Kammer, 2005, Crinoids from the Nada Member of the Borden Formation (Lower Mississippian) in eastern Kentucky: *Journal of Paleontology*, v. 79, no. 2, p. 337-355.
184. Leighton, L. R., and C. G. Maples, 2002, Evaluating internal versus external characters; phylogenetic analyses of the Echinoconchidae, Buxtoniinae, and Juresaniinae (phylum Brachiopoda): *Journal of Paleontology*, v. 76, no. 4, p. 659-671.
185. Liebe, R. M., and C. B. Rexroad, 1976, Conodonts from Alexandrian and early Niagaran rocks in the Joliet, Illinois, area: *Abstracts with Programs - Geological Society of America*, v. 8, no. 4, p. 490, 1976.
186. Liebe, R. M., and C. B. Rexroad, 1977, Conodonts from Alexandrian and early Niagaran rocks in the Joliet, Illinois, area: *Journal of Paleontology*, v. 51, no. 4, p. 844-857.
187. Lineback, J. A., 1963, Age of the Rockford cephalopod fauna (Mississippian) of southern Indiana: *Journal of Paleontology*, v. 37, no. 4, p. 939-942.
188. Lineback, J. A., 1964, Stratigraphy of the New Albany Shale in southeastern Indiana: *Special Paper - Geological Society of America*, p. 102-103.
189. Lineback, J. A., 1970, Stratigraphy of the new albany shale in indiana: *Bulletin - Indiana*, p. 1970.
190. Lineback, J. A., 1970, Stratigraphy of the New Albany shale in Indiana: *Bulletin - Indiana*, v. 44, p. 1970.
191. Lineback, J. A., Stratigraphy and depositional environment of the New Albany Shale (Upper Devonian and Lower Mississippian) in Indiana.
192. Maliva, R. G., Paleoecology and sedimentology of the Rockford Limestone and upper New Albany Shale (Lower Mississippian) in southern Indiana.
193. Maliva, R. G., 1984, The depositional environments and paleoecology of the Rockford Limestone and upper New Albany Shale (Lower Mississippian) in southern Indiana: *Abstracts with Programs - Geological Society of America*, v. 16, no. 3, p. 177, Feb.
194. Malone, P. G., and T. G. Perry, 1965, Fenestellid bryozoans from oncolites in Sappington Sandstone of southwestern Montana: *Journal of Paleontology*, v. 39, no. 1, p. 41-44.
195. Mapes, R. H., and C. B. Rexroad, 1986, Conodonts from the Imo Formation (upper Chesterian), north-central Arkansas: *Geologica et Palaeontologica*, v. 20, p. 113-123.

Publications Using IU Paleontology Collection

196. Maroney, D., and R. W. Orr, 1974, *Ctenoconularia delphiensis*, a new species of the Conulata from the New Albany Shale (upper Devonian) at Delphi, Indiana: Geological Survey Occasional Paper (Bloomington), no. 7, p. 1974.
197. Maroney, D. G., A population of the new species *Ctenoconularia delphiensis* from the New Albany Shale (Upper Devonian) at Delphi, Indiana.
198. Miller, SA. *Palaeontology*. 17, 660-662. 1891. Bloomington, Indiana, Indiana Department of Geology and Natural Resources. Annual Report.
Ref Type: Report
199. Miller, SA. *Palaeontology*. 18. 1892. Bloomington, Indiana, Indiana Department of Geology and Natural Resources. Annual Report.
Ref Type: Report
200. Miller, SA. *Palaeontology*. 18, 263-264. 1893. Bloomington, Indiana, Indiana Department of Geology and Natural Resources. Annual Report.
Ref Type: Report
201. Miller, SA. *Palaeontology*. 18, 237-356. 1894. Bloomington, Indiana, Indiana Department of Geology and Natural Resources. Annual Report.
Ref Type: Report
202. Mound, M. C., 1961, *Arenaceous Foraminifera from the Brassfield Limestone (Albion) of southeastern Indiana*: Bulletin - Indiana, p. 1961.
203. Mound, M. C., 1962, *Arenaceous Foraminifera from the Brassfield Limestone (Albion) of southeastern Indiana*: Special Paper - Geological Society of America, p. 234-235.
204. Mound, M. C., 1968, *Arenaceous Foraminifera and zonation of the Silurian rocks of northern Indiana*: Bulletin - Indiana, p. 1968.
205. Mound, M. C., 1968, *Arenaceous foraminifera and zonation of the Silurian rocks of northern Indiana*: Bulletin - Indiana, v. 38, p. 1968.
206. Mound, M. C., *Arenaceous foraminifera from the Brassfield Limestone (Albion) of southeastern Indiana*.
207. Munson, P. J., P. W. Parmalee, and J. E. Guilday, 1980, *Additional comments on the Pleistocene mammalian fauna of Harrodsburg Crevice, Monroe County, Indiana*: The NSS Bulletin, v. 42, no. 4, p. 78-79.
208. Neavel, R. C., and L. V. Miller, 1960, *Properties of cutinite*: Fuel (London), v. 39, no. 3, p. 217-222.
209. Nicoll, R. S., and C. B. Rexroad, 1975, *Stratigraphy and conodont paleontology of the Sanders Group (Mississippian) in Indiana and adjacent Kentucky*: Bulletin - Indiana, no. 51, p. 1975.
210. Nicoll, R. S., and C. B. Rexroad, *Re-examination of Silurian conodont clusters from northern Indiana*.
211. Nicoll, R. S., and C. B. Rexroad, 1966, *Conodont zones in Salamonie Dolomite and related Silurian strata of southeastern Indiana*: Bulletin of the American Association of Petroleum Geologists, v. 50, no. 3, p. 629-630.

Publications Using IU Paleontology Collection

212. Nicoll, R. S., and C. B. Rexroad, 1968, Stratigraphy and conodont paleontology of the Salamonie Dolomite and Lee Creek Member of the Brassfield Limestone (Silurian) in southeastern Indiana and adjacent Kentucky: *Bulletin - Indiana*, p. 1968.
213. Nicoll, R. S., and C. B. Rexroad, 1973, Conodonts from the Sanders Group (middle Mississippian) of Indiana; animals and elements: Abstracts with Programs - Geological Society of America, v. 5, no. 4, p. 341, 1973.
214. Norby, R. D., and C. B. Rexroad, 1985, Vogelgnathus, a new Mississippian conodont genus: *Geological Survey Occasional Paper (Bloomington)*, v. 50, p. 14, 1985.
215. Orr, R. W., and G. Klapper, 1968, Two new conodont species from Middle-Upper Devonian boundary beds of Indiana and New York: *Journal of Paleontology*, v. 42, no. 4, p. 1066-1075.
216. Orr, R. W., 1971, Conodonts from Middle Devonian Strata of the Michigan Basin: *Bulletin - Indiana*, v. 45, p. 1971.
217. Owen, D. D., 1852, Owen, D. D. Report of a geological survey of Wisconsin, Iowa, and Minnesota and incidentally of a portion of Nebraska Terrace.
218. Palmer, A. R., 1982, Fossils of Dresbachian and Franconian (Cambrian) age from the subsurface of West-central Indiana: *Special Report - Indiana*, no. 29, p. 1982.
219. Parmalee, P. W., P. J. Munson, and J. E. Guilday, 1978, The Pleistocene mammalian fauna of Harrodsburg Crevice, Monroe County, Indiana: *The NSS Bulletin*, v. 40, no. 2, p. 64-75.
220. Payne, K. A., Pennsylvanian Ostracoda from Sullivan County, Indiana.
221. Payne, K. A., 1937, Pennsylvanian Ostracoda from Sullivan County, Indiana: *Journal of Paleontology*, v. 11, no. 4, p. 276-288.
222. Pearson, P. N., R. K. Olsson, C. Hemleben, B. T. Huber, and W. A. Berggeren, 2006, Pearson, P. N., R. K. Olsson, C. Hemleben, B. T. Huber, and W. A. Berggeren *Atlas of Eocene Planktonic Foraminifera*: Lawrence, Kansas, Allen Press.
223. Perkins, R. D., T. G. Perry, and D. E. Hattin, 1962, Some bryozoans from the Beil Limestone Member of the Lecompton Limestone (Virgilian) of Kansas: *Bulletin - Kansas*, v. 157, no. 157-5, p. 1962.
224. Perry, T. G., and A. S. Horowitz, 1963, Bryozoans from the Glen Dean Limestone (middle Chester) of southern Indiana and Kentucky: *Bulletin - Indiana*, p. 1963.
225. Perry, T. G., and A. S. Horowitz, 1963, Bryozoans from the Glen Dean Limestone (middle Chester) of southern Indiana and Kentucky: *Bulletin - Indiana*, p. 1963.
226. Perry, T. G., and D. E. Hattin, 1955, Osgood (Niagaran) bryozoans from the type area (Indiana): *Geological Society of America Bulletin*, v. 66, no. 12, p. 1695-1696.
227. Perry, T. G., and D. E. Hattin, 1958, Astogenetic study of fistuliporoid bryozoans: *Journal of Paleontology*, v. 32, no. 6, p. 1039-1050.
228. Perry, T. G., and R. C. Gutschick, 1959, Bryozoans from the Amsden Formation, southwest Montana: *Journal of Paleontology*, v. 33, no. 2, p. 313-322.

Publications Using IU Paleontology Collection

229. Perry, T. G., and D. E. Hattin, 1960, Osgood (Niagaran) bryozoans from the type area [Indiana]: *Journal of Paleontology*, v. 34, no. 4, p. 695-710.
230. Podell, M. E., and R. L. Anstey, 1979, The interrelationship of early colony development, monticules and branches in Palaeozoic bryozoans: *Palaeontology*, v. 22, p. 965-982.
231. Pollock, C. A., 1969, Fused Silurian conodont clusters from Indiana: *Journal of Paleontology*, v. 43, no. 4, p. 929-935.
232. Pollock, C. A., C. B. Rexroad, and R. S. Nicoll, 1970, Lower Silurian conodonts from northern Michigan and Ontario: *Journal of Paleontology*, v. 44, no. 4, p. 743-764.
233. Pollock, C. A., and C. B. Rexroad, 1973, Conodonts from the Salina Formation and the Upper Part of the Wabash Formation (Silurian) in North-Central Indiana: *Geologica et Palaeontologica*, v. 7, p. 77-85.
234. Polly, P. D., 2007, Evolutionary biology - Development with a bite: *Nature*, v. 449, no. 7161, p. 413-415.
235. Polly, P. D., 2007, Tiptoeing through the trophics: Measuring digitigrady in Carnivora for palaeoenvironmental inference: *Journal of Vertebrate Paleontology*, v. 27, no. 3, p. 130A.
236. Prezbindowski, D. R., and R. L. Anstey, 1976, Comparative value of Fourier shape, mosaic-structural and binary skeletal characters in a late Devonian bryozoan fauna (Threeforks Fm., Montana): *Abstracts with Programs - Geological Society of America*, v. 8, no. 1, p. 60, Jan.
237. Prezbindowski, D. R., and R. L. Anstey, 1978, A Fourier-numerical study of a bryozoan fauna from the Threeforks Formation (Late Devonian) of Montana: *Journal of Paleontology*, v. 52, no. 2, p. 353-369.
238. Prezbindowski, D., Comparative value of Fourier shape, mosaic-structural, and binary skeletal characters in a Late Devonian bryozoan fauna (Three Forks Fm, Montana).
239. Puchalski, S. S., C. C. Johnson, and B. Douglas, 2007, Effects of valve microstructure on strength and preservation potential of two modern chiton (Mollusca, Polyplacophora) species: *Abstracts with Programs - Geological Society of America*, v. 39, no. 6, p. 399, Oct.
240. Ramirez, W. R., C. C. Johnson, M. Martinez, M. del Carmen Torres, and V. Ortiz, 2006, Strontium isotope stratigraphy from *Kuphus incrassatus*, Cenozoic limestones, Puerto Rico: *Abstracts with Programs - Geological Society of America*, v. 38, no. 7, p. 90, Oct.
241. Retallack, G., Fossil soils; indicators of ancient terrestrial environments.
242. Retallack, G. J., 1982, Paleopedological perspectives on the development of grasslands during the Tertiary: *Proceedings - North American Paleontological Convention*, v. 3, p. 417-421.
243. Retallack, G. J., 1983, A paleopedological approach to the interpretation of terrestrial sedimentary rocks; the mid-Tertiary fossil soils of Badlands National Park, South Dakota: *Geological Society of America Bulletin*, v. 94, no. 7, p. 823-840.
244. Retallack, G. J., 1983, Late Eocene and Oligocene Paleosols from Badlands National Park, South Dakota: *Special Paper - Geological Society of America*, v. 193, p. 1983.

Publications Using IU Paleontology Collection

245. Retallack, G. J., 1983, Paleopedology comes down to Earth: *Journal of Geological Education*, v. 31, no. 5, p. 390-392.
246. Retallack, G. J., 1984, Trace fossils of burrowing beetles and bees in an Oligocene Paleosol, Badlands National Park, South Dakota: *Journal of Paleontology*, v. 58, no. 2, p. 571-592.
247. Rexroad, C. B., A. V. Noland, and C. A. Pollock, 1978, Conodonts from the Louisville Limestone and the Wabash Formation (Silurian) in Clark County, Indiana and Jefferson County, Kentucky: *Special Report - Indiana*, no. 16, p. 1978.
248. Rexroad, C. B., J. A. Wade, G. K. Merrill, and P. Padgett-Alano, 1999, Conodont biostratigraphy of the Mecca Quarry Shale Member and the Velpen Limestone Member of the Linton Formation (Pennsylvanian, Desmoinesian) in the eastern part of the Illinois Basin, USA: *Abstracts with Programs - Geological Society of America*, v. 31, no. 5, p. 67, Apr.
249. Rexroad, C. B., and A. J. Scott, 1964, Conodont zones in the Rockford Limestone and the lower part of the New Providence Shale (Mississippian) in Indiana: *Bulletin - Indiana*, p. 1964.
250. Rexroad, C. B., and R. Nicoll, 1964, A Silurian conodont with tetanus?: *Journal of Paleontology*, v. 38, no. 4, p. 771-773.
251. Rexroad, C. B., and W. M. Furnish, 1964, Conodonts from the Pella Formation (Mississippian), south-central Iowa: *Journal of Paleontology*, v. 38, no. 4, p. 667-676.
252. Rexroad, C. B., and R. S. Nicoll, 1965, Conodonts from the Menard Formation (Chester Series) of the Illinois Basin: *Bulletin - Indiana*, p. 1965.
253. Rexroad, C. B., 1967, Stratigraphy and conodont paleontology of the Brassfield (Silurian) in the Cincinnati Arch area: *Bulletin - Indiana*, p. 1967.
254. Rexroad, C. B., 1969, Conodonts from the Jacobs Chapel bed (Mississippian) of the New Albany shale in southern Indiana: *Bulletin - Indiana*, v. 41, p. 1969.
255. Rexroad, C. B., and R. S. Nicoll, 1971, Summary of conodont biostratigraphy of the Silurian System of North America: *Memoir - Geological Society of America*, v. 127, p. 207-225.
256. Rexroad, C. B., and W. W. Craig, 1971, Restudy of conodonts from the Bainbridge Formation (Silurian) at Lithium, Missouri: *Journal of Paleontology*, v. 45, no. 4, p. 684-703.
257. Rexroad, C. B., and R. S. Nicoll, 1972, Conodonts from the Estill Shale (Silurian, Kentucky and Ohio) and their Bearing on Multielement Taxonomy: *Geologica et Palaeontologica*, p. 57-69.
258. Rexroad, C. B., 1981, Conodonts from the Vienna Limestone Member of the Branchville Formation (Chesterian) in southern Indiana: *Geological Survey Occasional Paper (Bloomington)*, no. 34, p. 1981.
259. Rexroad, C. B., R. L. Ethington, and J. B. Droste, 1982, Conodonts from the Everton Dolomite and the St. Peter Sandstone (lower Middle Ordovician) in the subsurface of

Publications Using IU Paleontology Collection

- southwestern Indiana: Abstracts with Programs - Geological Society of America, v. 14, no. 5, p. 285, Mar.
260. Rexroad, C. B., J. B. Droste, and R. L. Ethington, 1982, Conodonts from the Everton Dolomite and the St. Peter Sandstone (Lower Middle Ordovician) in a core from southwestern Indiana: Geological Survey Occasional Paper (Bloomington), v. 39, p. 1982.
 261. Rexroad, C. B., and G. K. Merrill, 1985, Conodont biostratigraphy and paleoecology of Middle Carboniferous rocks in southern Illinois: CFS.Courier Forschungsinstitut Senckenberg, v. 74, p. 35-63.
 262. Rexroad, C. B., R. H. Shaver, and J. B. Droste, 1985, Conodonts from the Wabash Formation (Ludlovian and Pridolian series) in northern Indiana; report of progress: Abstracts with Programs - Geological Society of America, v. 17, no. 5, p. 323, Mar.
 263. Rexroad, C. B., and R. H. Mapes, 1986, Correlation of the Imo Formation (upper Chesterian, North-Central Arkansas) on the basis of conodonts: Abstracts with Programs - Geological Society of America, v. 18, no. 3, p. 262, Feb.
 264. Rexroad, C. B., J. A. Wade, G. K. Merrill, L. M. Brown, and P. Padgett, 2001, Conodont biostratigraphy and depositional environments of the Mecca Quarry Shale Member and the Velpen Limestone Member of the Linton Formation (Pennsylvanian, Desmoinesian) in the eastern part of the Illinois Basin, U.S.A: Special Report - Indiana Geological Survey, p. 2001.
 265. Rigby, J. K., R. Deyes, Jr., and A. Horowitz, 1979, Two new Mississippian sponges from northeastern Alabama: Journal of Paleontology, v. 53, no. 3, p. 709-719.
 266. Rigby, J. K., and W. I. Ausich, 1981, Lower Mississippian sponges from the Edwardsville Formation, southern Indiana: Journal of Paleontology, v. 55, no. 2, p. 370-382.
 267. Rodriguez, J., Invertebrate fauna of the Golconda Formation (middle Chester) of Indiana, western Kentucky, and southern Illinois.
 268. Rodriguez, J., and T. G. Perry, 1959, Invertebrate fauna of the Golconda Formation (middle Chester) of Indiana, western Kentucky, and southern Illinois: Geological Society of America Bulletin, v. 70, no. 12, p. 1662-1663.
 269. Shaver, R. H., and F. F. Mellen, 1958, Discussion on the Ostracoda: Mississippi State Geological Survey, no. 85, p. 44-48.
 270. Shaver, R. H., and S. G. Smith, 1974, Some Pennsylvanian Kirkbyacean Ostracods of Indiana and Midcontinent Series Terminology: Indiana Department of Natural Resources Geological Survey Report, v. 31, p. 1974.
 271. Shaver, R. H., 1953, Ontogeny and sexual dimorphism in *Cytherella bullata* [Mississippi]: Journal of Paleontology, v. 27, no. 3, p. 471-480.
 272. Shaver, R. H., 1958, A Study of *Pseudobythocypris pediformis*, a New Name for an Old Ostracod: American Midland Naturalist, v. 59, no. 1, p. 120-137.
 273. Shaver, R. H., 1959, Study of speciation (subspeciation) in the Pennsylvanian ostracode *Bairdia oklahomaensis* s. 1. from Indiana: Geological Society of America Bulletin, v. 70, no. 12, p. 1674, Dec.

Publications Using IU Paleontology Collection

274. Shaver, R. H., 1960, The Pennsylvanian ostracode *Bairdia oklahomaensis* in Indiana: *Journal of Paleontology*, v. 34, no. 4, p. 656-670.
275. Shrock, R. R., 1928, A new graptolite fauna from the Niagaran of northern Indiana: *American Journal of Science*, v. 16, no. 91, p. 1-38.
276. Shrock, R. R., 1928, A new graptolite fauna from the Niagaran of northern Indiana: *American Journal of Science*, v. 16, no. 91, p. 1-38.
277. Shrock, R. R., 1970, Memorial to Edgar Roscoe Cumings, 1874-1967: *Proceedings of the Geological Society of America*, p. 177-183.
278. Simonelli, G., C. C. Johnson, E. R. Elswick, and E. G. Kauffman, 2006, Sedimentation and geochemistry of the Mansfield Formation in Martin County, Indiana: *Abstracts with Programs - Geological Society of America*, v. 38, no. 4, p. 4, Apr.
279. Smith, E. A., A quantitative study of the variation of *Pentremites conoideus*.
280. Smith, E. A., 1906, Development and variation of *Pentremites conoideus*: *Annual Report of the State Geologist of Indiana Geological Survey*, p. 1219-1242.
281. Sohn, I. G., 1961, *Aechminella*, *Amphissites*, *Kirkbyella*, and related genera: *U.S. Geological Survey Professional Paper*, p. 107-160.
282. Sohn, I. G., 1958, Paleozoic species of *Bairdia* (Ostracoda): *Geological Society of America Bulletin*, v. 69, no. 12, p. 1646, Dec.
283. Sohn, I. G., 1960, Paleozoic species of *Bairdia* and related genera: *U.S. Geological Survey Professional Paper*, p. 1-105.
284. St Jean, J., A Middle Pennsylvanian foraminiferal fauna from Dubois County, Indiana.
285. St Jean, J., Jr., 1957, A Middle Pennsylvanian foraminiferal fauna from Dubois County, Indiana: *Bulletin - Indiana*, v. 10, p. Feb.
286. Stanton, R. J., Jr., J. R. Dodd, and R. R. Alexander, 1979, Eccentricity in the clypeasteroid echinoid *Dendraster*; environmental significance and application in Pliocene paleoecology: *Lethaia*, v. 12, no. 1, p. 75-87.
287. Stratton, J. F., and A. S. Horowitz, Variability in seven Devonian species of *Polypora M'Coy*.
288. Stratton, J. F., and A. S. Horowitz, 1977, *Polypora M'Coy* from the Devonian of southeastern Indiana: *Bulletin - Indiana*, no. 56, p. 1977.
289. Stratton, J. F., 1975, Ovicells in *Fenestella* from the Speed Member, North Vernon Limestone (Eifelian, Middle Devonian) in southern Indiana, U.S.A: *Documents des Laboratoires de Geologie*, no. 3, p. 169-177.
290. Stratton, J. F., Studies of *Polypora* from the Speed Member, North Vernon Limestone (Eifelian, middle Devonian) in southern Indiana.
291. Stratton, J. F., 1981, Apparent ovicells and associated structures in the fenestrate bryozoan *Polypora shumardii* Prout: *Journal of Paleontology*, v. 55, no. 4, p. 880-884.

Publications Using IU Paleontology Collection

292. Strimple, H. L., and C. Coney, 1978, Paratalarocrinus, a new camerate genus from the Upper Mississippian of Virginia: *Journal of Paleontology*, v. 52, no. 2, p. 484-487.
293. Strimple, H. L., and A. S. Horowitz, 1971, Fossil crinoid studies; Part 5, A new Mississippian ampelocrinid: *University of Kansas Paleontological Contributions*, v. 56, p. 23-27.
294. Swartz, C. K. et al., 1942, Correlation of the Silurian formations of North America [Chart no. 3]: *Geological Society of America Bulletin*, v. 53, no. 4, p. 533-538.
295. Sweet, W. C., and A. C. Brookley, Jr., An *Endolobus* from the Beaver Bend limestone (Chester) of Indiana; *Jour. Paleontology*, v. 30, no. 1.
296. Thompson, M. L., and R. H. Shaver, 1964, Early Pennsylvanian microfaunas of the Illinois Basin: *Transactions of the Illinois State Academy of Science*, v. 57, no. 1, p. 3-23.
297. Thompson, M. L., R. H. Shaver, and E. A. Riggs, 1959, Early Pennsylvanian fusulinids and ostracods of the Illinois Basin [Illinois-Kentucky]: *Journal of Paleontology*, v. 33, no. 5, p. 770-792.
298. Topalov, K, A Schimmelmann, P D Polly, P E Sauer. Improved on-line measurement of non-exchangeable hydrogen in bone collagen as forensic environmental indicator. *GSA North-Central Section, 42nd Annual Meeting*. GSA North-Central Section, 42nd Annual Meeting . 2008.
Ref Type: Conference Proceeding
299. Utgaard, J., and T. G. Perry, 1960, Fenestrate bryozoans from the Glen Dean limestone (middle Chester) of southern Indiana: *Geological Society of America Bulletin*, v. 71, no. 12, p. 2027, 1960.
300. Utgaard, J., and T. G. Perry, 1960, Fenestrate bryozoans from the Glen Dean Limestone (middle Chester) of southern Indiana: *Bulletin - Indiana*, p. 1960.
301. Utgaard, J., and T. G. Perry, 1964, Trepostomatous bryozoan fauna of the upper part of the Whitewater Formation (Cincinnatian) of eastern Indiana and western Ohio: *Special Paper - Geological Society of America*, p. 171, 1964.
302. Utgaard, J., and T. G. Perry, 1964, Trepostomatous bryozoan fauna of the upper part of the Whitewater Formation (Cincinnatian) of eastern Indiana and western Ohio: *Bulletin - Indiana*, p. 1964.
303. Utgaard, J. E., Fenestrate bryozoans from the Glen Dean Limestone (Middle Chester) of southern Indiana.
304. Utgaard, J. E., Trepostomatous bryozoan fauna of the upper part of the Whitewater Formation (Cincinnatian) of eastern Indiana and western Ohio.
305. Volz, S. A., Preliminary report on a late Pleistocene death-trap fauna from Monroe Co., Indiana.
306. Volz, S. A. Preliminary report on a Late Pleistocene death-trap fauna from Monroe County, Indiana. *Proceedings of the Indiana Academy of Science* 86, 293-307. 1977.
Ref Type: Journal (Full)

Publications Using IU Paleontology Collection

307. Waters, J. A., 1976, Shape analysis of the blastoid genus *Pentremites*: Abstracts with Programs - Geological Society of America, v. 8, no. 2, p. 295, Feb.
308. Waters, J. A., 1977, Quantification of shape by use of Fourier analysis; the Mississippian blastoid genus *Pentremites*: *Paleobiology*, v. 3, no. 3, p. 288-299.
309. Waters, J. A., A. S. Horowitz, and D. B. Macurda, Jr., 1980, Modelling evolution in *Pentremites* (Blastoidea) using Fourier series: Abstracts with Programs - Geological Society of America, v. 12, no. 7, p. 545, Aug.
310. Waters, J. A., 1981, Modeling evolution in *Pentremites* (Blastoidea) using Fourier series: *Georgia Journal of Science*, v. 39, no. 2, p. 68, Apr.
311. Waters, J. A., A. S. Horowitz, and D. B. Macurda, Jr., 1990, The paleobiogeography of *Pentremites* (Blastoidea; Echinodermata): Abstracts with Programs - Geological Society of America, v. 22, no. 4, p. 68, Mar.
312. Waters, J. A., Shape analysis of a population of the blastoid genus *Pentremites*.
313. Waters, J. A., and A. S. Horowitz, 1971, An echinoderm site in the Monteagle limestone (Mississippian) in northern Alabama: Abstracts with Programs - Geological Society of America, v. 3, no. 5, p. 356-357.
314. Welch, J. R., 1976, *Phosphannulus* on Paleozoic crinoid stems: *Journal of Paleontology*, v. 50, no. 2, p. 218-225.
315. Welch, JR, N G Lane. A new crinoid fauna from the Harrodsburg Limestone (Mississippian) of southern Indiana. *Proceedings of the Indiana Academy of Science* [86], 285-289. 1977.
Ref Type: Journal (Full)
316. Welch, J. R., 1978, *Pterotocrinus rugosus* Lyon & Casseday from the middle Chesterian of the Illinois Basin: *Journal of Paleontology*, v. 52, no. 4, p. 904-915.
317. Welch, J. R., 1978, Flume study of simulated feeding and hydrodynamics of a Paleozoic stalked crinoid: *Paleobiology*, v. 4, no. 1, p. 89-95.
318. White, C. A., 1880, Fossils of the Indiana rocks: Annual Report of the State Geologist of Indiana Geological Survey, p. 471-522.
319. White, C. A., 1882, Fossils of the Indiana rocks, no. 2: *Ind*, v. 11, p. 347-401.
320. White, C. A., 1884, The fossils of the Indiana rocks, no. 3: *Ind*, v. 13, p. 107-180.
321. Wood, J. M., 1963, The Stanley Cemetery flora (Early Pennsylvanian) of Greene County, Indiana: *Bulletin - Indiana*, p. 1963.
322. Wulff, J. I., S. W. Riddle, and W. I. Ausich, 1988, Columnal insertion and column growth in a Mississippian flexible crinoid: Abstracts with Programs - Geological Society of America, v. 20, no. 5, p. 395, Mar.
323. Wulff, J. I., and W. I. Ausich, 1989, Growth of the xenomorphic crinoid column (*Taxocrinus*, Late Mississippian): *Journal of Paleontology*, v. 63, no. 5, p. 657-662.