

IU CAD Standards - layer revisions since May 2001

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER NAME</i>	<i>FORMER IU COLOR</i>		
Annotation: schedules - border line fine <input checked="" type="checkbox"/>	ANNO-SCHD-LNF ANNO-SCHD-LNF-NEW	170 170	CONTINUOUS CONTINUOUS	0.007 0.007
Annotation: schedules - border line heavy <input checked="" type="checkbox"/>	ANNO-SCHD-LNH ANNO-SCHD-LNH-NEW	9 9	CONTINUOUS CONTINUOUS	0.08 0.08
Annotation: schedules - border line medium <input checked="" type="checkbox"/>	ANNO-SCHD-LNM ANNO-SCHD-LNM-NEW	53 53	CONTINUOUS CONTINUOUS	0.02 0.02
Annotation: schedules - text weight - fine <input checked="" type="checkbox"/>	ANNO-SCHD-TXTF ANNO-SCHD-TXTF-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Annotation: schedules - text weight - medium <input checked="" type="checkbox"/>	ANNO-SCHD-TXTM ANNO-SCHD-TXTM-NEW	3 3	CONTINUOUS CONTINUOUS	0.014 0.014
Annotation: Symbols, ADA (accessibility) <input checked="" type="checkbox"/>	ANNO-SYMB-ADA ANNO-SYMB-ADA-NEW	1 1	CONTINUOUS CONTINUOUS	0.007 0.007
Annotation: titleblocks/text for the Bureau of Facilities Plans <input type="checkbox"/>	ANNO-TITL-BFPU	7	CONTINUOUS	0.01 0
Annotation: Drawing or detail titles text - fine <input checked="" type="checkbox"/>	ANNO-TITL-TXTF ANNO-TITL-TXTF-NEW	130 130	CONTINUOUS CONTINUOUS	0.007 0.007

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Annotation: Drawing or detail titles - heavy <input checked="" type="checkbox"/>	ANNO-TITL-TXTH ANNO-TITL-TXTH-NEW	113 113 254	CONTINUOUS CONTINUOUS	0.02 0.02
Annotation: Drawing or detail titles text - medium <input checked="" type="checkbox"/>	ANNO-TITL-TXTM ANNO-TITL-TXTM-NEW	111 111	CONTINUOUS CONTINUOUS	0.01 0.01
Annotation: Viewports <input checked="" type="checkbox"/>	ANNO-VIEW ANNO-VIEW-NEW VP	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Area: polylines - Phase 0 <input checked="" type="checkbox"/>	A-AREA-PH0 A-AREA-PH0-NEW AARCA-PH0, AARPH-0	3 3	CONTINUOUS CONTINUOUS	0.014 0.014
Area: polylines - Phase 1 <input checked="" type="checkbox"/>	A-AREA-PH1 A-AREA-PH1-NEW AARCA-PH1, AARPH-1	1 1	CONTINUOUS CONTINUOUS	0.007 0.007
Area: polylines - Phase 2 <input checked="" type="checkbox"/>	A-AREA-PH2 A-AREA-PH2-NEW AARCA-PH2, AARPH-2	2 2	CONTINUOUS CONTINUOUS	0.01 0.01
Area: polylines - Phase 3 <input checked="" type="checkbox"/>	A-AREA-PH3 A-AREA-PH3-NEW AARCA-PH3, AARPH-3	4 4	CONTINUOUS CONTINUOUS	0.014 0.014
Area: room names - public <input checked="" type="checkbox"/>	A-AREA-TEXT A-AREA-TEXT-NEW AARTE	7 7 white-7	CONTINUOUS CONTINUOUS	0.01 0.01

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Area: room names - non-public <input checked="" type="checkbox"/>	A-AREA-TXT2	7	CONTINUOUS	0.01
	A-AREA-TXT2-NEW	7	CONTINUOUS	0.01
	AARTE	white-7		
Doors: details - full height doors <input checked="" type="checkbox"/>	A-DETL-DOOR-FULL	150	CONTINUOUS	0.007
	A-DETL-DOOR-FULL-NEW	12	CONTINUOUS	0.014
	ADOFU-DT			
Floor: details - signage <input checked="" type="checkbox"/>	A-DETL-FLOR-SIGN	150	CONTINUOUS	0.007
	A-DETL-FLOR-SIGN-NEW	12	CONTINUOUS	0.014
	AFLSG-DT			
Floor: details - architectural woodwork <input checked="" type="checkbox"/>	A-DETL-FLOR-WDWK	150	CONTINUOUS	0.007
	A-DETL-FLOR-WDWK-NEW	12	CONTINUOUS	0.014
	AFLWD-DT			
Windows: details - glazed partitions, partial height <input checked="" type="checkbox"/>	A-DETL-GLAZ-PRHT	150	CONTINUOUS	0.007
	A-DETL-GLAZ-PRHT-NEW	12	CONTINUOUS	0.014
	AGLPR-DT			
Details: Component identification numbers <input checked="" type="checkbox"/>	A-DETL-IDEN	7	CONTINUOUS	0.01
	A-DETL-IDEN-NEW	7	CONTINUOUS	0.01
Details: Material beyond section cut <input checked="" type="checkbox"/>	A-DETL-MBND	150	CONTINUOUS	0.007
	A-DETL-MBND-NEW	31	CONTINUOUS	0.007
	ADEMB	light gray-9		
Details: Material cut by section <input checked="" type="checkbox"/>	A-DETL-MCUT	150	CONTINUOUS	0.007
	A-DETL-MCUT-NEW	72	CONTINUOUS	0.014
	ADEMC	light gray-9		

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Details: Hatch patterns, textures <input checked="" type="checkbox"/>	A-DETL-PATT	150	CONTINUOUS	0.007
	A-DETL-PATT-NEW	130	CONTINUOUS	0.007
	ADEPA	light gray-9		
Walls: details - full height walls <input checked="" type="checkbox"/>	A-DETL-WALL-FULL	150	CONTINUOUS	0.007
	A-DETL-WALL-FULL	12	CONTINUOUS	0.014
	AWAFU-DT			
Doors: text <input checked="" type="checkbox"/>	A-DOOR-TEXT	7	CONTINUOUS	0.01
	A-DOOR-TEXT-NEW	7	CONTINUOUS	0.01
	ADOTE			
Elevations: Wall-mounted casework <input checked="" type="checkbox"/>	A-ELEV-CASE	150	CONTINUOUS	0.007
	A-ELEV-CASE-NEW	31	CONTINUOUS	0.01
	AELCA	light gray-9		
Doors: 3D views <input checked="" type="checkbox"/>	A-ELEV-DOOR	150	CONTINUOUS	0.007
	A-ELEV-DOOR-NEW	30	CONTINUOUS	0.007
Equipment: 3D views <input checked="" type="checkbox"/>	A-ELEV-EQPM	150	CONTINUOUS	0.007
	A-ELEV-EQPM-NEW	92	CONTINUOUS	0.014
Elevations: Miscellaneous, fixtures <input checked="" type="checkbox"/>	A-ELEV-FIXT	150	CONTINUOUS	0.007
	A-ELEV-FIXT-NEW	31	CONTINUOUS	0.01
Elevations: Finishes, woodwork, trim <input checked="" type="checkbox"/>	A-ELEV-FNSH	150	CONTINUOUS	0.007
	A-ELEV-FNSH-NEW	30	CONTINUOUS	0.007
	AELFN	light gray-9		

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Furniture: 3D views <input checked="" type="checkbox"/>	A-ELEV-FURN A-ELEV-FURN-NEW	150 72	CONTINUOUS CONTINUOUS	0.007 0.014
Windows: Glazing and mullions - elevation views <input checked="" type="checkbox"/>	A-ELEV-GLAZ A-ELEV-GLAZ-NEW	150 30	CONTINUOUS CONTINUOUS	0.007 0.007
Elevations: Component identification numbers <input checked="" type="checkbox"/>	A-ELEV-IDEN A-ELEV-IDEN-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Elevations: Building outlines <input checked="" type="checkbox"/>	A-ELEV-OTLN A-ELEV-OTLN-NEW AELOT	150 132 light gray-9	CONTINUOUS CONTINUOUS	0.02 0.02
Elevations: Hatch patterns, textures <input checked="" type="checkbox"/>	A-ELEV-PATT A-ELEV-PATT-NEW AELPA	150 130 light gray-9	CONTINUOUS CONTINUOUS	0.007 0.007
Elevations: Plumbing fixtures in elevation <input checked="" type="checkbox"/>	A-ELEV-PFIX A-ELEV-PFIX-NEW	150 31	CONTINUOUS CONTINUOUS	0.007 0.01
Roof: surfaces, 3D views <input checked="" type="checkbox"/>	A-ELEV-ROOF A-ELEV-ROOF-NEW	150 132	CONTINUOUS CONTINUOUS	0.007 0.014
Elevations: Signage <input checked="" type="checkbox"/>	A-ELEV-SIGN A-ELEV-SIGN-NEW	150 12	CONTINUOUS CONTINUOUS	0.007 0.014

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Walls: surfaces, 3D views <input checked="" type="checkbox"/>	A-ELEV-WALL A-ELEV-WALL-NEW	150 12	CONTINUOUS CONTINUOUS	0.007 0.014
Walls: elevations - full height walls <input checked="" type="checkbox"/>	A-ELEV-WALL-FULL A-ELEV-WALL-FULL-NEW AWAFU-EL	150 30	CONTINUOUS CONTINUOUS	0.007 0.007
Floor: Elevator cars and equipment <input type="checkbox"/>	A-FLOR-EVTR A-FLOR-EVTR-NEW AFLEV, ALFAP	150 4 light gray-9	IU_EXISTING CONTINUOUS	0.007 0.014
Floor: Plumbing fixtures <input checked="" type="checkbox"/>	A-FLOR-PFIX A-FLOR-PFIX-NEW APLFX / APLX	150 4	IU_EXISTING CONTINUOUS	0.007 0.014
Furniture: Manufactured casework, counters, shelving - (overhead) <input checked="" type="checkbox"/>	A-FURN-CASE-OVHD A-FURN-CASE-OVHD-NEW AFUCA-HI	150 52 light gray-9	DASHED2 DASHED2	0.007 0.014
Furniture: Manufactured casework, counters, shelving - (underneath) <input checked="" type="checkbox"/>	A-FURN-CASE-UNDR A-FURN-CASE-UNDR-NEW	150 52 light gray-9	PHANTOM2 PHANTOM2	0.007 0.014
Architectural: identification <input checked="" type="checkbox"/>	A-IDEN A-IDEN-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Architectural: notation <input checked="" type="checkbox"/>	A-NOTE A-NOTE-NEW ANO	7 7	CONTINUOUS CONTINUOUS	0.01 0.01

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Architectural: schedules <input checked="" type="checkbox"/>	A-SCHD A-SCHD-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Architectural: schematics <input checked="" type="checkbox"/>	A-SCHM A-SCHM-NEW ASC	150 31	IU_EXISTING CONTINUOUS	0.007 0.01
Sections: Component identification numbers <input checked="" type="checkbox"/>	A-SECT-IDEN A-SECT-IDEN-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Sections: Material beyond section cut <input checked="" type="checkbox"/>	A-SECT-MBND A-SECT-MBND-NEW ASEMB	150 30 light gray-9	CONTINUOUS CONTINUOUS	0.007 0.007
Sections: Material cut by section <input checked="" type="checkbox"/>	A-SECT-MCUT A-SECT-MCUT-NEW ASEMC	150 72 light gray-9	CONTINUOUS CONTINUOUS	0.007 0.014
Sections: Hatch patterns, textures <input checked="" type="checkbox"/>	A-SECT-PATT A-SECT-PATT-NEW ASEPA	150 130 light gray-9	CONTINUOUS CONTINUOUS	0.007 0.007
Civil: identification <input checked="" type="checkbox"/>	C-IDEN C-IDEN-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Civil: notation <input checked="" type="checkbox"/>	C-NOTE C-NOTE-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Civil: schedules <input checked="" type="checkbox"/>	C-SCHD C-SCHD-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Emergency: route <input checked="" type="checkbox"/>	E-EMER-RTE E-EMER-RTE-NEW AEMRT	10 10 9-GRAY	IU_EXISTING CONTINUOUS	0.007 0.007
Electrical: identification <input checked="" type="checkbox"/>	E-IDEN E-IDEN-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Electrical: notation <input checked="" type="checkbox"/>	E-NOTE E-NOTE-NEW E-NO	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Electrical: schedules <input checked="" type="checkbox"/>	E-SCHD E-SCHD-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01
Electrical: schematics <input checked="" type="checkbox"/>	E-SCHM E-SCHM-NEW	10 212	IU_EXISTING CONTINUOUS	0.007 0.014
Special: circuitry <input checked="" type="checkbox"/>	E-SPCL-CIRC E-SPCL-CIRC-NEW ESPCL	110 112	IU_EXISTING CONTINUOUS	0.007 0.014
Fire Protection: identification <input checked="" type="checkbox"/>	F-IDEN F-IDEN-NEW	7 7	CONTINUOUS CONTINUOUS	0.01 0.01

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Fire Protection: notation <input checked="" type="checkbox"/>	F-NOTE	7	CONTINUOUS	0.01
	F-NOTE-NEW	7	CONTINUOUS	0.01
Fire system: equipment (fire hose cabinet extinguishers) <input type="checkbox"/>	F-PROT-EQPM	30	IU_EXISTING	0.007
	F-PROT-EQPM-NEW	32	CONTINUOUS	0.014
	EFIEQ			
Fire Protection: schedules <input checked="" type="checkbox"/>	F-SCHD	7	CONTINUOUS	0.01
	F-SCHD-NEW	7	CONTINUOUS	0.01
Sprinkler: dimensions <input checked="" type="checkbox"/>	F-SPRN-DIMS	7	CONTINUOUS	0.01
	F-SPRN-DIMS-NEW	7	CONTINUOUS	0.01
	PFIDI			
Sprinkler: valves, meters <input checked="" type="checkbox"/>	F-SPRN-INST	190	IU_EXISTING	0.007
	F-SPRN-INST-NEW	52	CONTINUOUS	0.014
	PFIAC	180		
Sprinkler: text <input checked="" type="checkbox"/>	F-SPRN-TEXT	7	CONTINUOUS	0.01
	F-SPRN-TEXT-NEW	7	CONTINUOUS	0.01
	PFITE			
Sprinkler: zone <input checked="" type="checkbox"/>	F-SPRN-ZONE	190	IU_EXISTING	0.007
	F-SPRN-ZONE-NEW	52	CONTINUOUS	0.014
	PFIZO			
Landscape: identification <input checked="" type="checkbox"/>	L-IDEN	7	CONTINUOUS	0.01
	L-IDEN-NEW	7	CONTINUOUS	0.01

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Landscape: notation <input checked="" type="checkbox"/>	L-NOTE	7	CONTINUOUS	0.01
	L-NOTE-NEW	7	CONTINUOUS	0.01
Landscape: schedules <input checked="" type="checkbox"/>	L-SCHD	7	CONTINUOUS	0.01
	L-SCHD-NEW	7	CONTINUOUS	0.01
HVAC: equipment - schedules <input checked="" type="checkbox"/>	M-HVAC-EQPM-SCHD	7	CONTINUOUS	0.01
	M-HVAC-EQPM-SCHD-NEW	7	CONTINUOUS	0.01
	MHVEQ-SC			
Mechanical: identification <input checked="" type="checkbox"/>	M-IDEN	7	CONTINUOUS	0.01
	M-IDEN-NEW	7	CONTINUOUS	0.01
	M-ID			
Mechanical: notation <input checked="" type="checkbox"/>	M-NOTE	7	CONTINUOUS	0.01
	M-NOTE-NEW	7	CONTINUOUS	0.01
	M-NO			
Mechanical: schedules <input checked="" type="checkbox"/>	M-SCHD	7	CONTINUOUS	0.01
	M-SCHD-NEW	7	CONTINUOUS	0.01
	M-SD			
Mechanical: schematics <input checked="" type="checkbox"/>	M-SCHM	30	IU_EXISTING	0.007
	M-SCHM-NEW	212	CONTINUOUS	0.014
	M-SC			
Mechanical: titles <input checked="" type="checkbox"/>	M-TITL	111	CONTINUOUS	0.01
	M-TITL-NEW	111	CONTINUOUS	0.01
	M-SH			

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Domestic water systems: equipment <input type="checkbox"/>	P-DOMW-EQPM	30	IU_EXISTING	0.007
	P-DOMW-EQPM-NEW	212	CONTINUOUS	0.014
	PDCEQ			
Plumbing: identification <input checked="" type="checkbox"/>	P-IDEN	7	CONTINUOUS	0.01
	P-IDEN-NEW	7	CONTINUOUS	0.01
Plumbing: notation <input checked="" type="checkbox"/>	P-NOTE	7	CONTINUOUS	0.01
	P-NOTE-NEW	7	CONTINUOUS	0.01
Plumbing: schedules <input checked="" type="checkbox"/>	P-SCHD	7	CONTINUOUS	0.01
	P-SCHD-NEW	7	CONTINUOUS	0.01
Plumbing: schematics <input checked="" type="checkbox"/>	P-SCHM	90	CONTINUOUS	0.007
	P-SCHM-NEW	72	CONTINUOUS	0.014
Beams: <input type="checkbox"/>	S-BEAM	150	IU_EXISTING	0.007
	S-BEAM-NEW	130	CONTINUOUS	0.007
	SFRBE			
Beams: joists <input type="checkbox"/>	S-BEAM-JOIS	150	IU_EXISTING	0.007
	S-BEAM-JOIS-NEW	130	CONTINUOUS	0.007
	SFRJO			
Beams: text <input type="checkbox"/>	S-BEAM-TEXT	7	CONTINUOUS	0.01
	S-BEAM-TEXT	7	CONTINUOUS	0.01
	SFRTE			

<i>DESCRIPTION</i>	<i>LAYER_NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER_NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER_NAME</i>	<i>FORMER_IU_COLOR</i>		
Columns: grid / column bubbles <input checked="" type="checkbox"/>	S-COLS-GRID	150	IU_EXISTING	0.007
	S-COLS-GRID-NEW	12	CONTINUOUS	0.014
	SCOGR			
Structural: identification <input checked="" type="checkbox"/>	S-IDEN	7	CONTINUOUS	0.01
	S-IDEN-NEW	7	CONTINUOUS	0.01
Structural: notation <input checked="" type="checkbox"/>	S-NOTE	7	CONTINUOUS	0.01
	S-NOTE-NEW	7	CONTINUOUS	0.01
Structural: schedules <input checked="" type="checkbox"/>	S-SCHD	7	CONTINUOUS	0.01
	S-SCHD-NEW	7	CONTINUOUS	0.01
Structural: schematics <input checked="" type="checkbox"/>	S-SCHM	150	IU_EXISTING	0.007
	S-SCHM-NEW	31	CONTINUOUS	0.01
Telecommunications: identification <input checked="" type="checkbox"/>	T-IDEN	7	CONTINUOUS	0.01
	T-IDEN-NEW	7	CONTINUOUS	0.01
Telecommunications: notation <input checked="" type="checkbox"/>	T-NOTE	7	CONTINUOUS	0.01
	T-NOTE-NEW	7	CONTINUOUS	0.01
Telecommunications: schedules <input checked="" type="checkbox"/>	T-SCHD	7	CONTINUOUS	0.01
	T-SCHD-NEW	7	CONTINUOUS	0.01

<i>DESCRIPTION</i>	<i>LAYER NAME_EXISTING</i>	<i>COLOR_EXISTING</i>	<i>LINETYPE_EXISTING</i>	<i>PLOTTED LINEWEIGHT_EXISTING</i>
<i>NEW IU LAYER?</i>	<i>LAYER NAME_NEW</i>	<i>COLOR_NEW</i>	<i>LINETYPE_NEW</i>	<i>PLOTTED LINEWEIGHT_NEW</i>
	<i>FORMER_IU_LAYER NAME</i>	<i>FORMER IU COLOR</i>		
Telecommunications: schematics	T-SCHM	190	IU_EXISTING	0.007
<input checked="" type="checkbox"/>	T-SCHM-NEW	52	CONTINUOUS	0.014